



EMI & EMC Solutions > EMI Filters > Power Entry Modules > CORCOM P SERIES MULTI-FUNCTION INLET FIL



Filter Type: **Power Entry Module**

Input Voltage Selection: **Single AC**

Filter Switch Type: **DPST**

Filter Shield Type: **Complete Shield**

Product Orientation: **Vertical**

[All CORCOM P Series Multi-Function Inlet Fil \(261\)](#)

Features

Product Type Features

Filter Type	Power Entry Module
Filter Switch Type	DPST
Output Termination Type	.187" FASTON
Filtering Requirements	Filtered
Filter Connector Type	IEC 320/C-14
Ground Choke Option	No

Electrical Characteristics

Input Voltage Selection	Single AC
Leakage Current (Max) (120VAC, 60Hz)	2 μ A
Leakage Current (Max) (250VAC, 50Hz)	5 μ A
Current Rating	10 A
Operating Voltage	250 VAC



Body Features

Filter Shield Type	Complete Shield
Product Orientation	Vertical

Configuration Features

Fuse Options	Dual
Extender Options	None

Other

EU RoHS Compliance	Compliant
EU ELV Compliance	Compliant

Mechanical Attachment

Panel Mount Feature Type	Snap-In
--------------------------	---------

Dimensions

Panel Thickness (Recommended)	.13 – 1 mm
-------------------------------	------------

Usage Conditions

Operating Temperature Range	-10 – 40 °C
-----------------------------	-------------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability





Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous



materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>



Compatible Parts

 TE Part # 1609140-1 PA100=F6800	 TE Part # 1609146-2 PA102 CONNECTOR PIN=F6999	 TE Part # 1609140-3 PA105 J0=F6806	 TE Part # 1609146-1 PA101 CONNECTOR PLU=F6998
--	--	---	--

Also in the Series | Corcom P

 EMI & EMC Accessories(4)	 Power Entry Modules(317)
---	--

Customers Also Bought

 TE Part #770476-1 SL156 RECPT, SNNI/PHBZ	 TE Part #281709-4 PLUG HE13 IDC 90 4 P AWG 24	 TE Part #2-6609104-9 PE0S0DSXB=C1302	 TE Part #1-111446-4 10 UNIV I/O, NO EARS,LEAD FREE
 TE Part #1-925017-0 250 FASTON HSG.,REC.,1 POS, NATRUAL	 TE Part #5-160430-7 187 FASTON REC 20-16 AWG TPBR	 TE Part #5-102398-1 06 AMPMODU MT ASSY DR.100CL SN	 TE Part #CONMCX012 MCX Plug 50 Ohm Cable Crimp



TE Part #1393236-7
V23092-A1012-A301



TE Part #1546670-4
4P .437" DR BARRIER,W/BND SCRW

Documents

Product Drawings

PS0S0DSXB=C1265

English

CAD Files

Customer View Model

ENG_CVM_8-6609107-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_8-6609107-1_A.3d_stp.zip

English

Customer View Model

ENG_CVM_8-6609107-1_A.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_8-6609107-1_O.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_8-6609107-1_O.3d_stp.zip

English

Customer View Model

ENG_CVM_CVM_8-6609107-1_O.2d_dxf.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages

Corcom Combined Selector Charts

English

1-1654250-1_CORCOM_EMI_RFI_QRG

English

PS0S0DSXB

Power Entry Module, Single AC Input, DPST, Complete Shield, Vertical, 10A Current Rating, .187" FASTON Output, Corcom P, Power Entry Modules

