

151791-2 ✓ ACTIVE

FASTON | FASTON 375


TE Internal #: 151791-2

Receptacle, 12 – 10 AWG Wire Size, 3.31 – 5.26 mm² Wire Size, Mating Tab Width 9.53 mm [.375 in], Flag, Brass, FASTON 375, Quick Disconnects

[View on TE.com >](#)



Terminals & Splices > Quick Disconnects



Quick Disconnect Terminal Type: **Receptacle**

Wire Size: **3.31 – 5.26 mm²**

Mating Tab Width: **9.53 mm [.375 in]**

Mating Tab Thickness: **1.22 mm [.048 in]**

Features

Contact Features

Quick Disconnect Terminal Type	Receptacle
Mating Tab Width	9.53 mm[.375 in]
Mating Tab Thickness	1.22 mm[.048 in]
Terminal Orientation	Flag
Contact Base Material	Brass
Terminal Plating Material	Tin
Crimp Type	F-Crimp
Barrel Type	Open

Dimensions

Wire Size	3.31 – 5.26 mm ²
Product Length	22.94 mm[.903 in]
Compatible Insulation Diameter Range	4.88 – 5.94 mm[.192 – .234 in]
Terminal Material Thickness	.52 mm[.021 in]

Packaging Features

Packaging Method	Loose Piece/Carton
------------------	--------------------



Packaging Quantity	500
--------------------	-----

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-40 – 110 °C[-40 – 230 °F]

Other

EU RoHS Compliance	Compliant
EU ELV Compliance	Compliant

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
Connection Capacity	Single

Termination Features

Product Terminates To	Wire & Cable
-----------------------	--------------

Mechanical Attachment

Wire Insulation Support	With
Mating Retention Type	Dimple

Industry Standards

Compatible With Agency/Standards Products	UL
---	----

Product Compliance


[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 180429-2
250 FASTON,FLAG,REC.,17-14 AWG,
TPBR



TE Part # 160668-2
110 FASTON,REC.,20-16 AWG,
PTBR



TE Part # 180430-2
250 FASTON,FLAG,REC.,20-16 AWG,
TPBR



TE Part # 160626-2
110 FASTON,REC.,20-17 AWG,TPBR



TE Part # 170141-2
187 FASTON,FLAG,REC.,20-16 AWG,
TPBR



TE Part # 151791-1
FLAG FASTON RECEPTACLE



TE Part # 1-160304-2
250 FASTON,REC.,14-17AWG,TPBR



TE Part # 160625-2
110 FASTON,REC.,20-17 AWG,TPBR




TE Part # 140719-2
110 FASTON,REC.,22-18 AWG,TPBR



TE Part # 140852-2
110 FASTON,REC.,22-18 AWG,TPBR


Also in the Series | **FASTON 375**



Crimp Terminal Housings(2)



PCB Terminals(1)



Quick Disconnects(10)

Customers Also Bought

TE Part #1-1670730-1
3POS,TAB 1.5X0.63,TAB HSG,ASSYTE Part #965576-1
ABDECKAPPE 90GRDTE Part #1-331366-1
PIDG SPDFLG 22-16COM22-18MIL10TE Part #280755-2
FF 375 REC 6-10MM2 TPBRTE Part #1241375-1
AMP MCP 1.5K, CONTACT, (LP)TE Part #293387-1
NECTOR S OUTLET HV-3 WHITETE Part #1-2840573-2
PCON12,TERMINAL,FAM SLD/UNSLDTE Part #1-963745-1
SPECIAL TERMINAL 20-17 AWG PTPB LPTE Part #928926-2
PIN .156 DIA REC 18-14 AWG SILPB

Documents

Product Drawings

[FASTON 375 REC FLAG 12-10 AWG TPBR LP](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_151791-2_H.2d_dxf.zip](#)



English

Customer View Model

[ENG_CVM_CVM_151791-2_H.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_151791-2_H.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

[.110,.187 & 250 Series FASTON Terminals](#)

English

Product Specification

English