

1393364-1 ✓ ACTIVE




AMP | [Get .64 Connector System](#)

TE Internal #: 1393364-1

Receptacle, Mating Tab Width 1 mm [.039 in], Tab Thickness .64 mm [.025 in], 24 – 22 AWG Wire Size, Get .64 Connector System, Automotive Terminals

[View on TE.com >](#)

Terminals & Splices > Automotive Terminals > GET .64 CONNECTOR SYSTEM, RECEPT AND TAB



Terminal Type: **Receptacle**

Mating Tab Width: 1 mm [.039 in]

Mating Tab Thickness: .64 mm [.025 in]

Terminal Transmits: 0 – 24 A (Low Power)

Wire Size: 24 – 22 AWG

[All GET .64 CONNECTOR SYSTEM, RECEPT AND TAB \(24\)](#)

Features

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Packaging Features

Packaging Method	Reel
Packaging Quantity	10000

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature (Max)	130 °C, 80 °C, 125 °C, 105 °C, 100 °C, 90 °C, 85 °C, 145 °C, 150 °C, 140 °C, 110 °C, 120 °C[293 °F][248 °F][221 °F][230 °F][176 °F][194 °F][185 °F][284 °F][302 °F][266 °F][212 °F][257 °F]
Operating Temperature Range	-40 – 150 °C[-40 – 302 °F]

Termination Features

Termination Method to Wire & Cable	Crimp
------------------------------------	-------



Product Terminates To	Wire
-----------------------	------

Product Type Features

Receptacle Style	180°
Sealable	No
Primary Locking Feature	Clean Body

Dimensions

Compatible Insulation Diameter Range	1.2 – 1.4 mm [.043 – .065 in]
Wire Size	.22 – .35 mm ²
Wire Size Search	.3 mm ² , .25 mm ² , .2 mm ²

Contact Features

Typical Current Rating	9 A
Crimp Type	F-Crimp
Contact Size	.64mm
Contact Fabrication	Stamped & Formed
Wire Contact Termination Area Plating Material	Tin
Terminal Type	Receptacle
Mating Tab Width	1 mm [.039 in]
Mating Tab Thickness	.64 mm [.025 in]
Interface Plating	Gold (Au)

Other

Terminal Transmits	0 – 24 A (Low Power)
EU RoHS Compliance	Compliant
EU ELV Compliance	Compliant

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC















Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
-----------------	---

Solder Process Capability	Not applicable for solder process capability
---------------------------	--

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts


 <p>TE Part # CAT-G3353-CH8172 GET .64 CONNECTOR SYSTEM, CONNECTOR HSG</p>	 <p>TE Part # 2151540-1 OCEAN_2.0_APPLICATOR-S-055F0700-RSM</p>	 <p>TE Part # 1411001-6 SEALED HARN ASSY W CPA KEY B</p>	 <p>TE Part # 2203663-6 2X9 SEALED PLUG ASSY KEY B</p>
 <p>TE Part # 1924639-2 1X8 FEMALE ASSY KEY D, LP LATC</p>	 <p>TE Part # 1452842-3 22 POS FEMALE HSG ASSY</p>	 <p>TE Part # 2151540-2 OCEAN_2.0_APPLICATOR-S-055F0700-RSA</p>	 <p>TE Part # 2272431-4 1X6 GET UNSLD SIDE LATCH PLUG, KEY D</p>
 <p>TE Part # 2305570-1 Strip Terminal Cutter-Side Feed-No Crimp</p>	 <p>TE Part # 2382775-2 SDE F GET PIN/SCKT 0.35-0.22mm2 DIE SET</p>	 <p>TE Part # 7-2151540-7 OCEAN_2.0_SPARE_PART_KIT-055F0700</p>	 <p>TE Part # 2382775-1 SDE F GET PIN / SOCKET 0.35-0.22 mm2 ASSY</p>





TE Part # 3-1419158-1
GET MALE TERM, A, AU




TE Part # 2278398-1
3WAY GET 0.64 SEAL PLUG



TE Part # 1-1411001-6
8POS,GET 0.64,REC HSG ASSY,SLD




TE Part # 1-1411001-7
8POS,GET 0.64,REC HSG ASSY,SLD




TE Part # 1-1411001-8
8POS,GET 0.64,REC HSG ASSY,SLD



TE Part # 1411001-7
2x4 SEALED HARN ASSY W/O CPA



TE Part # 1438734-1
GET FEMALE, BLANK, UNPLT, A CRIMP




TE Part # 1438734-3
GET FEMALE, BLANK, PLT AU/SN A CRIMP


Also in the Series | **Get .64 Connector System**




Automotive Connector Caps & Covers (5)



Automotive Housings(102)



Automotive Terminals(28)



Insertion & Extraction Tools(1)



PCB Headers & Receptacles(3)


Customers Also Bought



TE Part #1534594-3
MCON 1.2 CB REC SRC AG



TE Part #1719957-1
GET 0.64 TERMINAL WIRE SIZE 0.



TE Part #D58196-000
FL2500-NO.2-19-0-50MM



TE Part #3-1579007-6
EXTRACTION TOOL



Documents

Product Drawings

[V23540X7000Y10=GET-FEM TERM AU](#)

English

CAD Files

Customer View Model

[ENG_CVM_1393364-1_B2.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_1393364-1_B2.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_1393364-1_B2.2d_dxf.zip](#)

English

3D PDF

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[GET 0.64 Interconnection System](#)

English

Product Specifications

[Application Specification](#)

English

[Application Specification](#)

German



Application Specification

English

Instruction Sheets

Instruction Sheet (U.S.)

English

Instruction Sheet (U.S.)

English