



Connectors > Automotive Connectors > Automotive Connector Accessories > Automotive Connector Caps & Covers



Protection & Strain Relief Accessory Type: **Wire Dress Cover**

Primary Product Color: **Black**

Primary Product Material: **PBT**

Operating Temperature (Max): **125 °C [257 °F]**

Operating Temperature Range: **-40 – 125 °C [-40 – 257 °F]**

Features

Product Type Features

Protection & Strain Relief Accessory Type	Wire Dress Cover
Sealable	Yes

Body Features

Primary Product Color	Black
Primary Product Material	PBT

Usage Conditions

Operating Temperature (Max)	125 °C[257 °F]
Operating Temperature Range	-40 – 125 °C[-40 – 257 °F]

Other

EU RoHS Compliance	Compliant
EU ELV Compliance	Compliant

Packaging Features

Packaging Method	Package
Packaging Quantity	1



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 1924780-1 WIRE DRESS COVER, 96P GPEC II	TE Part # 1924781-1 LEVER, 96P GPEC II	TE Part # 9-2359496-9 PLUG ASSY, 96P GPEC II KEY A RIGHT EXIT	TE Part # 9-2359497-9 PLUG ASSY, 96P GPEC II KEY A LEFT EXIT
--	---	--	---



TE Part # 9-2359500-9

PLUG ASSY, 96P GPEC II KEY E RIGHT EXIT

TE Part # 9-2359501-9

PLUG ASSY, 96P GPEC II KEY E LEFT EXIT

TE Part # 9-2498863-9

PLUG ASSY, 96P GPECIII KEY G RIGHT EXIT

TE Part # 9-2498864-9

PLUG ASSY, 96P GPECIII KEY G LEFT EXIT

TE Part # 9-2498865-9

PLUG ASSY, 96P GPECIII KEY H RIGHT EXIT

TE Part # 9-2498866-9

PLUG ASSY, 96P GPECIII KEY H LEFT EXIT

Also in the Series | [Get .64 Connector System](#)

Automotive Connector Caps & Covers (5)

Automotive Housings(102)

Automotive Terminals(28)

Insertion & Extraction Tools(1)

PCB Headers & Receptacles(3)

Customers Also Bought

TE Part #2138314-1

36P SEALED HYBRID (32X 1.2, 4X

TE Part #1-1813099-1

2.5mm SOCKET HSG ASSEMBLY (BLACK 4 POS)

TE Part #1924782-1

GET FEM TERM 1.2MM, TS, SNAG 1MMSQ

TE Part #9-1563173-9

96POS,MCON-1.2 CB,REC HSG,ASSY






TE Part #1488991-4
3POS, MCON 1.2 CB REC 2p TL
SEALED




TE Part #2203973-1
26P SEALED PLUG, ASSY, KEY A



TE Part #184408-1
2X2 CAP ASSEMBLY, G KEY, CLASS



TE Part #184116-1
2 POS. PLUG ASSY, KEY H 1/2



TE Part #881590-1
ECONOSEAL TAB .070



TE Part #1-1452389-1
COVER ASSY 96POS

Documents

Product Drawings

WIRE DRESS ASSY, 96P GPEC II

English

CAD Files

Customer View Model

ENG_CVM_1924779-1_B.3d_igs.zip

English

Customer View Model

ENG_CVM_1924779-1_B.3d_stp.zip

English

Customer View Model

ENG_CVM_1924779-1_B.2d_dxf.zip

English

3D PDF

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Instruction Sheets

Instruction Sheet (U.S.)

English

Instruction Sheet (U.S.)

English