





CIRCUIT SIZE	DIM. "A"	DIM. "B"	DIM. "C"	DIM. "D"	DIM. "E"
2	.520 (13.20)	—	.425 (10.80)	.370 (9.40)	.21 (5.4)
4	.685 (17.40)	.17 (4.2)	.590 (15.00)	.535 (13.60)	.38 (9.6)
6	.850 (21.60)	.33 (8.4)	.756 (19.20)	.701 (17.80)	.54 (13.8)
8	1.016 (25.80)	.50 (12.6)	.921 (23.40)	.866 (22.00)	.71 (18.0)
10	1.181 (30.00)	.66 (16.8)	1.087 (27.60)	1.031 (26.20)	.87 (22.2)
12	1.346 (34.20)	.83 (21.0)	1.252 (31.80)	1.197 (30.40)	1.04 (26.4)
14	1.512 (38.40)	.99 (25.2)	1.417 (36.00)	1.362 (34.60)	1.20 (30.6)
16	1.677 (42.60)	1.16 (29.4)	1.583 (40.20)	1.528 (38.80)	1.37 (34.8)
18	1.843 (46.80)	1.32 (33.6)	1.748 (44.40)	1.693 (43.00)	1.54 (39.0)
20	2.008 (51.00)	1.49 (37.8)	1.913 (48.60)	1.858 (47.20)	1.70 (43.2)
22	2.173 (55.20)	1.65 (42.0)	2.079 (52.80)	2.024 (51.40)	1.87 (47.4)
24	2.339 (59.40)	1.82 (46.2)	2.244 (57.00)	2.189 (55.60)	2.03 (51.6)



DETAIL "Z"
PEG DESIGN
PRIOR TO 8/11/97

C	---22, ---42	42474-##21, 5556-PBGS*P	94V-0	PHOS. BRZ.	GOLD	
	---12, ---32	42474-##11, 5556-PBGS*P	94V-2			
	---22, ---42, ---23, ---43	42474-##21, 5556-GS*P	94V-0	BRASS	GOLD	
	---12, ---32, ---13, ---33	42474-##11, 5556-GS*P	94V-2			
	---21, ---41	42474-##21, 5556-PBS*P	94V-0	PHOS. BRZ.	TIN	
	---11, ---31	42474-##11, 5556-PBS*P	94V-2			
	---21, ---41	42474-##21, 5556-S*P	94V-0			
B	---11, ---31	42474-##11, 5556-S*P	94V-2	BRASS	TIN	
	---22, ---42	A-42385-##D2, ---D4	94V-0			
	---12, ---32	A-42385-##C2, ---C4	94V-2	PHOS. BRZ.	GOLD	
	---22, ---42, ---23, ---43	A-42385-##B2, ---B4	94V-0			
	---12, ---32, ---13, ---33	A-42385-##A2, ---A4	94V-2	BRASS	GOLD	
	---21, ---41	A-42385-##D1	94V-0			
	A	---11, ---31	A-42385-##C1	94V-2	PHOS. BRZ.	TIN
---21, ---41		A-42385-##B1	94V-0			
---11, ---31		A-42385-##A1	94V-2	BRASS	TIN	
VERT. HEADER A-42440		MATING CONNECTOR				
			HSG. MAT'L.	TERM. MAT'L.	PLATING	
			MATING CONNECTOR FEATURES			

SHEET 3, NOTE #9
EC NO: UCP2007-2479
DRAWN: SCHMIDT 2007/04/04
CHKD: IBELL 2007/04/11
APPR: FSI TH 2007/04/16
REV

QUALITY SYMBOLS
=0
=0

GENERAL TOLERANCES (UNLESS SPECIFIED)
mm INCH
4 PLACES ± --- ± ---
3 PLACES ± --- ± .010
2 PLACES ± 0.25 ± .015
1 PLACE ± 0.38 ± ---
ANGULAR ± 5 °

DRAFT WHERE APPLICABLE
MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE
IN/MM

DRAWN BY
GEP

CHECKED BY
RJF

APPROVED BY
RAS

MATERIAL NO.

DOCUMENT NO.

SHEET NO.
1 OF 6

SCALE
4:1

DESIGN UNITS
METRIC

THIRD ANGLE PROJECTION

MINI-FIT B.M.I.
VERTICAL HEADER ASSY
WITH DRAIN HOLE OPTION

MOLEX INCORPORATED

SDA-42440-****

	13	12	11	10	9	8	7	6	5	4	3	2	1																																																							
J														J																																																						
I														I																																																						
H														H																																																						
G														G																																																						
F														F																																																						
E														E																																																						
D														D																																																						
C														C																																																						
B														B																																																						
A														A																																																						
NOTES: 1) MATERIAL: HOUSING MATERIAL AND OPTIONS: 1 = NYLON 6/6, UL 94V-2, COLOR: NATURAL, WITHOUT DRAIN HOLES 2 = NYLON 6/6, UL 94V-0, COLOR: NATURAL, WITHOUT DRAIN HOLES 3 = NYLON 6/6, UL 94V-2, COLOR: NATURAL, WITH DRAIN HOLES 4 = NYLON 6/6, UL 94V-0, COLOR: NATURAL, WITH DRAIN HOLES TERMINALS: BRASS 2) TERMINAL PLATING: S = .000100/(0.00254) MIN. BRIGHT TIN OVER .000050/(0.00127) MIN. NICKEL *GS = .000030/(0.00076) MIN. SELECT GOLD AND .000100/(0.00254) MIN. SELECT MATTE TIN OVER .000050/(.00127) MIN. NICKEL OVERALL *GS3 = .000050/(0.00127) MIN. SELECT GOLD AND .000100/(0.00254) MIN. SELECT MATTE TIN OVER .000050/(.00127) MIN. NICKEL OVERALL *THE PRIMARY SHIPPING CARTON WILL BE LABELED "COMPLIANT TO RoHS DIRECTIVE 2002/95/EC AND ELV ANNEX II OF DIRECTIVE 200/53/EC"; CARTONS WITHOUT THIS LABEL MAY CONTAIN PRODUCT WITH TIN-LEAD PLATING. 3) PRODUCT SPECIFICATION AND PROCESSING PARAMETERS: PS-5556-002 4) PACKAGING: SEE CHARTS 5) 6-24 CIRCUIT PARTS MATE WITH MINI-FIT JR. RECEPTACLES #5557 AND HEADERS #42385 AND #42474; 2 AND 4 CIRCUIT PARTS MATE WITH 42385 AND 42474 HEADERS ONLY. 6) PART ALLOWS FOR UP TO .100/(2.54) MISALIGNMENT WITH MATING RECEPTACLE IN ANY DIRECTION. SEE MATING CONNECTOR DRAWINGS FOR SPECIFIC ALLOWANCES. 7) CONNECTOR IS NOT DESIGNED FOR CURRENT SHARING. 8) CONNECTOR ASSEMBLIES ARE NOT BE MATED OR UNMATED WHILE CIRCUITS ARE LIVE. 9) OPTIONAL RIBS MAY BE FOUND ON PARTS MANUFACTURED AFTER 08/11/1997. RIB LOCATION IS DETERMINED BY MOLD DESIGN FOR MANUFACTURING EASE AND THE LOCATION DOES NOT AFFECT PART FUNCTION OR PERFORMANCE. LOCATION OF RIBS MAY VARY ON PARTS WITHIN MAUFACTURING LOT OR SHIPMENT. THIS DRAWING SHOWS TYPICAL RIB LOCATIONS. 10) PARTS MANUFACTURED AFTER 8/15/1997 MAY HAVE REVISED LOCK PEG. 11) PART CONFORMS TO CLASS "B" REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002.																																																																				
<table><tr><td rowspan="5">SEE SHEET ONE EC NO: UCP2007-2479 DRAWN: SCHMIDT 2007/04/04 CHKD: JBEILL 2007/04/11 APPR: FSM TH 2007/04/16 P1</td><td rowspan="5">QUALITY SYMBOLS ▽=0 ▽=0</td><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE IN/MM</td><td>SCALE ---</td><td>DESIGN UNITS METRIC</td><td rowspan="5"> THIRD ANGLE PROJECTION</td><td rowspan="5">MINI-FIT B.M.I. VERTICAL HEADER ASSY WITH DRAIN HOLE OPTION MOLEX INCORPORATED SDA-42440-**** 3 OF 6</td></tr><tr><td>mm</td><td>INCH</td><td>DRAWN BY GEP</td><td>DATE 1989/04/06</td><td colspan="2">TITLE</td></tr><tr><td>4 PLACES ±---</td><td>±---</td><td>CHECKED BY RJF</td><td>DATE 1989/04/06</td><td colspan="2"></td></tr><tr><td>3 PLACES ±---</td><td>±---</td><td>APPROVED BY RAS</td><td>DATE 1989/04/06</td><td colspan="2"></td></tr><tr><td>2 PLACES ±---</td><td>±---</td><td colspan="2">MATERIAL NO.</td><td colspan="2">DOCUMENT NO.</td></tr><tr><td colspan="2">1 PLACE ±---</td><td>±---</td><td colspan="2">SIZE C</td><td colspan="2">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td><td colspan="2"></td><td></td></tr><tr><td colspan="2">ANGULAR ±---</td><td>°</td><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">SEE CHART</td><td colspan="2"></td><td></td></tr></table>															SEE SHEET ONE EC NO: UCP2007-2479 DRAWN: SCHMIDT 2007/04/04 CHKD: JBEILL 2007/04/11 APPR: FSM TH 2007/04/16 P1	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	MINI-FIT B.M.I. VERTICAL HEADER ASSY WITH DRAIN HOLE OPTION MOLEX INCORPORATED SDA-42440-**** 3 OF 6	mm	INCH	DRAWN BY GEP	DATE 1989/04/06	TITLE		4 PLACES ±---	±---	CHECKED BY RJF	DATE 1989/04/06			3 PLACES ±---	±---	APPROVED BY RAS	DATE 1989/04/06			2 PLACES ±---	±---	MATERIAL NO.		DOCUMENT NO.		1 PLACE ±---		±---	SIZE C		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					ANGULAR ±---		°	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART				
SEE SHEET ONE EC NO: UCP2007-2479 DRAWN: SCHMIDT 2007/04/04 CHKD: JBEILL 2007/04/11 APPR: FSM TH 2007/04/16 P1	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	MINI-FIT B.M.I. VERTICAL HEADER ASSY WITH DRAIN HOLE OPTION MOLEX INCORPORATED SDA-42440-**** 3 OF 6																																																											
		mm	INCH	DRAWN BY GEP	DATE 1989/04/06	TITLE																																																														
		4 PLACES ±---	±---	CHECKED BY RJF	DATE 1989/04/06																																																															
		3 PLACES ±---	±---	APPROVED BY RAS	DATE 1989/04/06																																																															
		2 PLACES ±---	±---	MATERIAL NO.		DOCUMENT NO.																																																														
1 PLACE ±---		±---	SIZE C		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																															
ANGULAR ±---		°	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART																																																															
ib_frame_C_P_ME_T Rev. E 2006/04/15																																																																				
	12	11	10	9	8	7	6	5	4	3	2	1																																																								

	13		12		11		10		9		8		7		6		5		4		3		2		1	
J	PLATING:	TIN (SEE NOTE 2 OPTION 'S')				PLATING:	TIN (SEE NOTE 2 OPTION 'S')				PLATING:	30 M.I. SELECT GOLD (SEE NOTE 2 OPTION 'GS')				PLATING:	30 M.I. SELECT GOLD (SEE NOTE 2 OPTION 'GS')									
	DRAINS:	WITHOUT DRAIN HOLES				DRAINS:	WITHOUT DRAIN HOLES				DRAINS:	WITHOUT DRAIN HOLES				DRAINS:	WITHOUT DRAIN HOLES									
	PEGS:	WITH PEGS				PEGS:	WITH PEGS				PEGS:	WITH PEGS				PEGS:	WITH PEGS									
	MAT'L:	94V-2 [NATURAL]				MAT'L:	94V-0 [NATURAL]				MAT'L:	94V-2 [NATURAL]				MAT'L:	94V-0 [NATURAL]									
PACKAGING:	TRAY PER PK-42440-001				PACKAGING:	TRAY PER PK-42440-001				PACKAGING:	TRAY PER PK-42440-001				PACKAGING:	TRAY PER PK-42440-001										
I	PART NO.	ENG NO.			CKTS	PART NO.	ENG NO.			CKTS	PART NO.	ENG NO.			CKTS	PART NO.	ENG NO.			CKTS						
	NO EDP	A-42440-0211	-		2	NO EDP	A-42440-0221	-		2	NO EDP	A-42440-0212	-		2	NO EDP	A-42440-0222	-		2						
	I5-24-6041	A-42440-0411	-		4	I5-24-6042	A-42440-0421	-		4	I5-28-6041	A-42440-0412	-		4	I5-28-6042	A-42440-0422	-		4						
	NO EDP	A-42440-0611	-		6	NO EDP	A-42440-0621	-		6	NO EDP	A-42440-0612	-		6	NO EDP	A-42440-0622	-		6						
H	NO EDP	A-42440-0811	-		8	NO EDP	A-42440-0821	-		8	NO EDP	A-42440-0812	-		8	NO EDP	A-42440-0822	-		8						
	I5-24-6101	A-42440-1011	-		10	I5-24-6102	A-42440-1021	-		10	I5-28-6101	A-42440-1012	-		10	I5-28-6102	A-42440-1022	-		10						
	NO EDP	A-42440-1211	-		12	NO EDP	A-42440-1221	-		12	NO EDP	A-42440-1212	-		12	NO EDP	A-42440-1222	-		12						
	I5-24-6141	A-42440-1411	-		14	I5-24-6142	A-42440-1421	-		14	I5-28-6141	A-42440-1412	-		14	I5-28-6142	A-42440-1422	-		14						
H	I5-24-6161	A-42440-1611	-		16	I5-24-6162	A-42440-1621	-		16	I5-28-6161	A-42440-1612	-		16	NO EDP	A-42440-1622	-		16						
	I5-24-6181	A-42440-1811	-		18	I5-24-6182	A-42440-1821	-		18	I5-28-6181	A-42440-1812	-		18	I5-28-6182	A-42440-1822	-		18						
	NO EDP	A-42440-2011	-		20	NO EDP	A-42440-2021	-		20	NO EDP	A-42440-2012	-		20	NO EDP	A-42440-2022	-		20						
	NO EDP	A-42440-2211	-		22	NO EDP	A-42440-2221	-		22	NO EDP	A-42440-2212	-		22	NO EDP	A-42440-2222	-		22						
G	I5-24-6241	A-42440-2411	-		24	I5-24-6242	A-42440-2421	-		24	I5-28-6241	A-42440-2412	-		24	I5-28-6242	A-42440-2422	-		24						
		-	-				-	-				-	-				-	-								
		-	-				-	-				-	-				-	-								
		-	-				-	-				-	-				-	-								
F	PLATING:	TIN (SEE NOTE 2 OPTION 'S')				PLATING:	TIN (SEE NOTE 2 OPTION 'S')				PLATING:	30 M.I. SELECT GOLD (SEE NOTE 2 OPTION 'GS')				PLATING:	30 M.I. SELECT GOLD (SEE NOTE 2 OPTION 'GS')									
	DRAINS:	WITH DRAIN HOLES				DRAINS:	WITH DRAIN HOLES				DRAINS:	WITH DRAIN HOLES				DRAINS:	WITH DRAIN HOLES									
	PEGS:	WITH PEGS				PEGS:	WITH PEGS				PEGS:	WITH PEGS				PEGS:	WITH PEGS									
	MAT'L:	94V-2 [NATURAL]				MAT'L:	94V-0 [NATURAL]				MAT'L:	94V-2 [NATURAL]				MAT'L:	94V-0 [NATURAL]									
PACKAGING:	TRAY PER PK-42440-001				PACKAGING:	TRAY PER PK-42440-001				PACKAGING:	TRAY PER PK-42440-001				PACKAGING:	TRAY PER PK-42440-001										
E	PART NO.	ENG NO.			CKTS	PART NO.	ENG NO.			CKTS	PART NO.	ENG NO.			CKTS	PART NO.	ENG NO.			CKTS						
	NO EDP	A-42440-0231	-		2	NO EDP	A-42440-0241	-		2	NO EDP	A-42440-0232	-		2	NO EDP	A-42440-0242	-		2						
	I5-24-6046	A-42440-0431	-		4	I5-24-6047	A-42440-0441	-		4	I5-28-6046	A-42440-0432	-		4	I5-28-6047	A-42440-0442	-		4						
	I5-24-6066	A-42440-0631	-		6	NO EDP	A-42440-0641	-		6	I5-28-6066	A-42440-0632	-		6	NO EDP	A-42440-0642	-		6						
D	NO EDP	A-42440-0831	-		8	NO EDP	A-42440-0841	-		8	NO EDP	A-42440-0832	-		8	NO EDP	A-42440-0842	-		8						
	I5-24-6106	A-42440-1031	-		10	I5-24-6107	A-42440-1041	-		10	I5-28-6106	A-42440-1032	-		10	I5-28-6107	A-42440-1042	-		10						
	NO EDP	A-42440-1231	-		12	NO EDP	A-42440-1241	-		12	NO EDP	A-42440-1232	-		12	NO EDP	A-42440-1242	-		12						
	I5-24-6146	A-42440-1431	-		14	I5-24-6147	A-42440-1441	-		14	I5-28-6146	A-42440-1432	-		14	I5-28-6147	A-42440-1442	-		14						
C	NO EDP	A-42440-1631	-		16	NO EDP	A-42440-1641	-		16	NO EDP	A-42440-1632	-		16	NO EDP	A-42440-1642	-		16						
	I5-24-6186	A-42440-1831	-		18	I5-24-6187	A-42440-1841	-		18	I5-28-6186	A-42440-1832	-		18	I5-28-6187	A-42440-1842	-		18						
	NO EDP	A-42440-2031	-		20	NO EDP	A-42440-2041	-		20	NO EDP	A-42440-2032	-		20	NO EDP	A-42440-2042	-		20						
	NO EDP	A-42440-2231	-		22	NO EDP	A-42440-2241	-		22	NO EDP	A-42440-2232	-		22	NO EDP	A-42440-2242	-		22						
B	I5-24-6246	A-42440-2431	-		24	I5-24-6247	A-42440-2441	-		24	I5-28-6246	A-42440-2432	-		24	I5-28-6247	A-42440-2442	-		24						
		-	-				-	-				-	-				-	-								
		-	-				-	-				-	-				-	-								
		-	-				-	-				-	-				-	-								
A																										

	13		12		11		10		9		8		7		6		5		4		3		2		1																							
J	PLATING:	50 M.I. SELECT GOLD (SEE NOTE 2 OPTION 'GS3')				PLATING:	50 M.I. SELECT GOLD (SEE NOTE 2 OPTION 'GS3')				PLATING:	50 M.I. SELECT GOLD (SEE NOTE 2 OPTION 'GS3')				PLATING:	50 M.I. SELECT GOLD (SEE NOTE 2 OPTION 'GS3')																															
	DRAINS:	WITHOUT DRAIN HOLES				DRAINS:	WITHOUT DRAIN HOLES				DRAINS:	WITH DRAIN HOLES				DRAINS:	WITH DRAIN HOLES																															
	PEGS:	WITH PEGS				PEGS:	WITH PEGS				PEGS:	WITH PEGS				PEGS:	WITH PEGS																															
	MAT'L:	94V-2 [NATURAL]				MAT'L:	94V-0 [NATURAL]				MAT'L:	94V-2 [NATURAL]				MAT'L:	94V-0 [NATURAL]																															
	PACKAGING:	TRAY PER PK-42440-001				PACKAGING:	TRAY PER PK-42440-001				PACKAGING:	TRAY PER PK-42440-001				PACKAGING:	TRAY PER PK-42440-001																															
I	PART NO.	ENG NO.		CKTS	PART NO.	ENG NO.		CKTS	PART NO.	ENG NO.		CKTS	PART NO.	ENG NO.		CKTS																																
	NO EDP	A-42440-02I3	-	2	NO EDP	A-42440-0223	-	2	NO EDP	A-42440-0233	-	2	NO EDP	A-42440-0243	-	2																																
	NO EDP	A-42440-04I3	-	4	NO EDP	A-42440-0423	-	4	NO EDP	A-42440-0433	-	4	NO EDP	A-42440-0443	-	4																																
	NO EDP	A-42440-06I3	-	6	NO EDP	A-42440-0623	-	6	NO EDP	A-42440-0633	-	6	NO EDP	A-42440-0643	-	6																																
	NO EDP	A-42440-08I3	-	8	NO EDP	A-42440-0823	-	8	NO EDP	A-42440-0833	-	8	NO EDP	A-42440-0843	-	8																																
H	NO EDP	A-42440-10I3	-	10	NO EDP	A-42440-1023	-	10	NO EDP	A-42440-1033	-	10	NO EDP	A-42440-1043	-	10																																
	NO EDP	A-42440-12I3	-	12	NO EDP	A-42440-1223	-	12	NO EDP	A-42440-1233	-	12	NO EDP	A-42440-1243	-	12																																
	NO EDP	A-42440-14I3	-	14	NO EDP	A-42440-1423	-	14	NO EDP	A-42440-1433	-	14	NO EDP	A-42440-1443	-	14																																
	NO EDP	A-42440-16I3	-	16	NO EDP	A-42440-1623	-	16	NO EDP	A-42440-1633	-	16	NO EDP	A-42440-1643	-	16																																
	NO EDP	A-42440-18I3	-	18	NO EDP	A-42440-1823	-	18	NO EDP	A-42440-1833	-	18	NO EDP	A-42440-1843	-	18																																
G	NO EDP	A-42440-20I3	-	20	NO EDP	A-42440-2023	-	20	NO EDP	A-42440-2033	-	20	NO EDP	A-42440-2043	-	20																																
	NO EDP	A-42440-22I3	-	22	NO EDP	A-42440-2223	-	22	NO EDP	A-42440-2233	-	22	NO EDP	A-42440-2243	-	22																																
	NO EDP	A-42440-24I3	-	24	NO EDP	A-42440-2423	-	24	NO EDP	A-42440-2433	-	24	NO EDP	A-42440-2443	-	24																																
		-	-			-	-			-	-			-	-																																	
		-	-			-	-			-	-			-	-																																	
F	PLATING:					PLATING:					PLATING:					PLATING:																																
	DRAINS:					DRAINS:					DRAINS:					DRAINS:																																
	PEGS:					PEGS:					PEGS:					PEGS:																																
	MAT'L:					MAT'L:					MAT'L:					MAT'L:																																
	PACKAGING:					PACKAGING:					PACKAGING:					PACKAGING:																																
E	ITEM NO.		CKTS	ITEM NO.		CKTS	ITEM NO.		CKTS	ITEM NO.		CKTS																																				
	-	-	2	-	-	2	-	-	2	-	-	2																																				
	-	-	4	-	-	4	-	-	4	-	-	4																																				
	-	-	6	-	-	6	-	-	6	-	-	6																																				
	-	-	8	-	-	8	-	-	8	-	-	8																																				
D	-	-	10	-	-	10	-	-	10	-	-	10																																				
	-	-	12	-	-	12	-	-	12	-	-	12																																				
	-	-	14	-	-	14	-	-	14	-	-	14																																				
	-	-	16	-	-	16	-	-	16	-	-	16																																				
	-	-	18	-	-	18	-	-	18	-	-	18																																				
C	-	-	20	-	-	20	-	-	20	-	-	20																																				
	-	-	22	-	-	22	-	-	22	-	-	22																																				
	-	-	24	-	-	24	-	-	24	-	-	24																																				
B																																																

	13		12		11		10		9		8		7		6		5		4		3		2		1	
J	PLATING:	TIN (SEE NOTE 2 OPTION 'S')				PLATING:	TIN (SEE NOTE 2 OPTION 'S')				PLATING:	30 M.I. SELECT GOLD (SEE NOTE 2 OPTION 'GS')				PLATING:	30 M.I. SELECT GOLD (SEE NOTE 2 OPTION 'GS')									
	DRAINS:	WITH DRAIN HOLES				DRAINS:	WITH DRAIN HOLES				DRAINS:	WITH DRAIN HOLES				DRAINS:	WITH DRAIN HOLES									
	PEGS:	WITH PEGS				PEGS:	WITH PEGS				PEGS:	WITH PEGS				PEGS:	WITH PEGS									
	MAT'L:	94V-2 [NATURAL]				MAT'L:	94V-0 [NATURAL]				MAT'L:	94V-2 [NATURAL]				MAT'L:	94V-0 [NATURAL]									
	PACKAGING:	TUBE PER PK-40873-0151				PACKAGING:	TUBE PER PK-40873-0151				PACKAGING:	TUBE PER PK-40873-0151				PACKAGING:	TUBE PER PK-40873-0151									
I	ITEM NO.				CKTS	ITEM NO.				CKTS	ITEM NO.				CKTS	ITEM NO.				CKTS						
	-	-	-	-	2	-	-	-	-	2	-	-	-	-	2	-	-	-	-	2						
	42440-3049	-	-	-	4	42440-3061	-	-	-	4	42440-3073	-	-	-	4	42440-3085	-	-	-	4						
	42440-3050	-	-	-	6	-	-	-	-	6	42440-3074	-	-	-	6	-	-	-	-	6						
	-	-	-	-	8	-	-	-	-	8	-	-	-	-	8	-	-	-	-	8						
	42440-3052	-	-	-	10	42440-3064	-	-	-	10	42440-3076	-	-	-	10	42440-3088	-	-	-	10						
	-	-	-	-	12	-	-	-	-	12	-	-	-	-	12	-	-	-	-	12						
	42440-3054	-	-	-	14	42440-3066	-	-	-	14	42440-3078	-	-	-	14	42440-3090	-	-	-	14						
	-	-	-	-	16	-	-	-	-	16	-	-	-	-	16	-	-	-	-	16						
	42440-3056	-	-	-	18	42440-3068	-	-	-	18	42440-3080	-	-	-	18	42440-3092	-	-	-	18						
H	-	-	-	-	20	-	-	-	-	20	-	-	-	-	20	-	-	-	-	20						
	-	-	-	-	22	-	-	-	-	22	-	-	-	-	22	-	-	-	-	22						
	42440-3059	-	-	-	24	42440-3071	-	-	-	24	42440-3083	-	-	-	24	42440-3095	-	-	-	24						
G	PLATING:	50 M.I. SELECT GOLD (SEE NOTE 2 OPTION 'GS3')				PLATING:	50 M.I. SELECT GOLD (SEE NOTE 2 OPTION 'GS3')				PLATING:	50 M.I. SELECT GOLD (SEE NOTE 2 OPTION 'GS3')				PLATING:	50 M.I. SELECT GOLD (SEE NOTE 2 OPTION 'GS3')									
	DRAINS:	WITHOUT DRAIN HOLES				DRAINS:	WITHOUT DRAIN HOLES				DRAINS:	WITH DRAIN HOLES				DRAINS:	WITH DRAIN HOLES									
	PEGS:	WITH PEGS				PEGS:	WITH PEGS				PEGS:	WITH PEGS				PEGS:	WITH PEGS									
	MAT'L:	94V-2 [NATURAL]				MAT'L:	94V-0 [NATURAL]				MAT'L:	94V-2 [NATURAL]				MAT'L:	94V-0 [NATURAL]									
	PACKAGING:	TUBE PER PK-40873-0151				PACKAGING:	TUBE PER PK-40873-0151				PACKAGING:	TUBE PER PK-40873-0151				PACKAGING:	TUBE PER PK-40873-0151									
F	ITEM NO.				CKTS	ITEM NO.				CKTS	ITEM NO.				CKTS	ITEM NO.				CKTS						
	-	-	-	-	2	-	-	-	-	2	-	-	-	-	2	-	-	-	-	2						
	-	-	-	-	4	-	-	-	-	4	-	-	-	-	4	-	-	-	-	4						
	-	-	-	-	6	-	-	-	-	6	-	-	-	-	6	-	-	-	-	6						
	-	-	-	-	8	-	-	-	-	8	-	-	-	-	8	-	-	-	-	8						
	-	-	-	-	10	-	-	-	-	10	-	-	-	-	10	-	-	-	-	10						
	-	-	-	-	12	-	-	-	-	12	-	-	-	-	12	-	-	-	-	12						
	-	-	-	-	14	-	-	-	-	14	-	-	-	-	14	-	-	-	-	14						
	-	-	-	-	16	-	-	-	-	16	-	-	-	-	16	-	-	-	-	16						
	-	-	-	-	18	-	-	-	-	18	-	-	-	-	18	-	-	-	-	18						
E	-	-	-	-	20	-	-	-	-	20	-	-	-	-	20	-	-	-	-	20						
	-	-	-	-	22	-	-	-	-	22	-	-	-	-	22	-	-	-	-	22						
	-	-	-	-	24	-	-	-	-	24	-	-	-	-	24	-	-	-	-	24						
D																										
C																										
B																										
A																										
tb_frame_C_P_ME_T Rev. E 2006/04/15 121110987654321																										

J	PLATING:	TIN (SEE NOTE 2 OPTION 'S')				PLATING:	TIN (SEE NOTE 2 OPTION 'S')				PLATING:	30 M.I. SELECT GOLD (SEE NOTE 2 OPTION 'GS')				PLATING:	30 M.I. SELECT GOLD (SEE NOTE 2 OPTION 'GS')				
	DRAINS:	WITH DRAIN HOLES				DRAINS:	WITH DRAIN HOLES				DRAINS:	WITH DRAIN HOLES				DRAINS:	WITH DRAIN HOLES				
	PEGS:	WITH PEGS				PEGS:	WITH PEGS				PEGS:	WITH PEGS				PEGS:	WITH PEGS				
	MAT'L:	94V-2 [NATURAL]				MAT'L:	94V-0 [NATURAL]				MAT'L:	94V-2 [NATURAL]				MAT'L:	94V-0 [NATURAL]				
	PACKAGING:	TUBE PER PK-40873-0151				PACKAGING:	TUBE PER PK-40873-0151				PACKAGING:	TUBE PER PK-40873-0151				PACKAGING:	TUBE PER PK-40873-0151				
	I	ITEM NO.				CKTS	ITEM NO.				CKTS	ITEM NO.				CKTS	ITEM NO.				CKTS
		-	-	-	-	2	-	-	-	-	2	-	-	-	-	2	-	-	-	-	2
		42440-3049	-	-	-	4	42440-3061	-	-	-	4	42440-3073	-	-	-	4	42440-3085	-	-	-	4
		42440-3050	-	-	-	6	-	-	-	-	6	42440-3074	-	-	-	6	-	-	-	-	6
		-	-	-	-	8	-	-	-	-	8	-	-	-	-	8	-	-	-	-	8
42440-3052		-	-	-	10	42440-3064	-	-	-	10	42440-3076	-	-	-	10	42440-3088	-	-	-	10	
-		-	-	-	12	-	-	-	-	12	-	-	-	-	12	-	-	-	-	12	
42440-3054		-	-	-	14	42440-3066	-	-	-	14	42440-3078	-	-	-	14	42440-3090	-	-	-	14	
-		-	-	-	16	-	-	-	-	16	-	-	-	-	16	-	-	-	-	16	
42440-3056		-	-	-	18	42440-3068	-	-	-	18	42440-3080	-	-	-	18	42440-3092	-	-	-	18	
H	-	-	-	-	20	-	-	-	-	20	-	-	-	-	20	-	-	-	-	20	
	-	-	-	-	22	-	-	-	-	22	-	-	-	-	22	-	-	-	-	22	
	42440-3059	-	-	-	24	42440-3071	-	-	-	24	42440-3083	-	-	-	24	42440-3095	-	-	-	24	
G	PLATING:	50 M.I. SELECT GOLD (SEE NOTE 2 OPTION 'GS3')				PLATING:	50 M.I. SELECT GOLD (SEE NOTE 2 OPTION 'GS3')				PLATING:	50 M.I. SELECT GOLD (SEE NOTE 2 OPTION 'GS3')				PLATING:	50 M.I. SELECT GOLD (SEE NOTE 2 OPTION 'GS3')				
	DRAINS:	WITHOUT DRAIN HOLES				DRAINS:	WITHOUT DRAIN HOLES				DRAINS:	WITH DRAIN HOLES				DRAINS:	WITH DRAIN HOLES				
	PEGS:	WITH PEGS				PEGS:	WITH PEGS				PEGS:	WITH PEGS				PEGS:	WITH PEGS				
	MAT'L:	94V-2 [NATURAL]				MAT'L:	94V-0 [NATURAL]				MAT'L:	94V-2 [NATURAL]				MAT'L:	94V-0 [NATURAL]				
	PACKAGING:	TUBE PER PK-40873-0151				PACKAGING:	TUBE PER PK-40873-0151				PACKAGING:	TUBE PER PK-40873-0151				PACKAGING:	TUBE PER PK-40873-0151				
F	ITEM NO.				CKTS	ITEM NO.				CKTS	ITEM NO.				CKTS	ITEM NO.				CKTS	
	-	-	-	-	2	-	-	-	-	2	-	-	-	-	2	-	-	-	-	2	
	-	-	-	-	4	-	-	-	-	4	-	-	-	-	4	-	-	-	-	4	
	-	-	-	-	6	-	-	-	-	6	-	-	-	-	6	-	-	-	-	6	
	-	-	-	-	8	-	-	-	-	8	-	-	-	-	8	-	-	-	-	8	
	-	-	-	-	10	-	-	-	-	10	-	-	-	-	10	-	-	-	-	10	
	-	-	-	-	12	-	-	-	-	12	-	-	-	-	12	-	-	-	-	12	
	-	-	-	-	14	-	-	-	-	14	-	-	-	-	14	-	-	-	-	14	
	-	-	-	-	16	-	-	-	-	16	-	-	-	-	16	-	-	-	-	16	
	-	-	-	-	18	-	-	-	-	18	-	-	-	-	18	-	-	-	-	18	
E	-	-	-	-	20	-	-	-	-	20	-	-	-	-	20	-	-	-	-	20	
	-	-	-	-	22	-	-	-	-	22	-	-	-	-	22	-	-	-	-	22	
	-	-	-	-	24	-	-	-	-												