



注 記 1. 使用材料 NOTE MATERIAL




ハウジング
HOUSING

ターミナル
TERMINAL

金具
FITTING NAIL


：液晶ポリマー（LCP）、ガラス充填、
UL94V-0 色：黒色
LIQUID CRYSTAL POLYMER(LCP)
GLASS FILLED,UL94V-0 COLOR:BLACK
：銅合金(τ=0.18)
ニッケル下地 錫ビスマスメッキ
COPPER ALLOY(τ=0.18)
Sn-Bi PLATING OVER NICKEL PLATING.
：銅合金(τ=0.25)
ニッケル下地 錫メッキ
COPPER ALLOY(τ=0.25)
TIN OVER NICKEL PLATING.

- △ N=偶数に通用 (N:極数)
APPLY FOR N-EVEN(N:CIRCUIT)
- △ パターン剥離止め用金具
FITTING NAIL FOR PREVENTION OF PEELING OF P.C.B PATERN.
- △ 適合ジャケット:501783-**09
製品詳細寸法はSD-501783-001を参照下さい。
APPLICABLE JACKET:501783-**09.RE DETAILED DIMENSION.SEE SD-501783-001.
- △ 適合ジャケットカバー:501784-**09
製品詳細寸法はSD-501784-001を参照下さい。
APPLICABLE JACKET:501784-**09.RE DETAILED DIMENSION.SEE SD-501784-001.






27.2	29.1	29.8	24.5	33.1	501864-5021	50
22.2	24.1	24.8	19.5	28.1	501864-4021	40
E	D	C	B	A	MATERIAL NO.	極 数


REVISED	EC NO: J2013-0731	2012/08/02	DRWN:KNAGUMO	2012/08/03	CHKD:K.TAKAHASHI	2012/08/03	APPR:KMORI KAWA	2013/01/07	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 4:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	
										10 UNDER	± 0.2	DRAWN BY H. IJIMA	DATE 06/01/13	TITLE 0.5 FFC TO BOARD CONN REC. HSG ASSY(RA)			
										10 OVER 30 UNDER	± 0.25	CHECKED BY K. TAKAHASHI	DATE 06/01/13				
										30 OVER	± 0.3	APPROVED BY H. HIRATA	DATE 06/01/13				
										ANGULAR ±1 °		MATERIAL NO. 501864-**-21		DOCUMENT NO. SD-501864-004		SHEET NO. 1 OF 2	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															




△ ジャケット
4 JACKET



△ ジャケットカバー
5 JACKET COVER

 コネクタ接点部

適合FFC寸法
APPLICABLE FFC
RECOMMENDED DIMENSION
(仕上がり厚さ: 接点部 0.3 ± 0.03)



嵌合断面図

SEE SHEET 1 OF 2 EC NO.: J2013-0731 DRAWN: KAGUMO CHKD: K. TAKAHASHI APPR: K. MORIKAWA	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE — 4:1 —	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
		10 UNDER	± 0.2	DRAWN BY H. IJIMA	DATE 06/01/13	TITLE 0.5 FFC TO BOARD CONN REC. HSG ASSY(RA)				
		10 OVER 30 UNDER	± 0.25	CHECKED BY K. TAKAHASHI	DATE 06/01/13					
		30 OVER	± 0.3	APPROVED BY H. HIRATA	DATE 06/01/13					
		ANGULAR ±1 °		MATERIAL NO. 501864-**-21		DOCUMENT NO. SD-501864-004				SHEET NO. 2 OF 2
REV	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							

10

9

8

7

6

5

4



3

2



1

NOTES

1. 極包数量： 900 個ノリール
NUMBER OF CONNECTORS:900 PCS/REEL
2. リードテープ長さ
LEAD TAPE LENGTH




DETAIL "F"



3. トップテープの剥離強度：0.1~1.27N(10~130gf)
(剥離方向は下図参照)
剥離速度：300mm/MIN.(参考)
PEEL-OFF FORCE OF TOP TAPE : 0.1~1.27N(10~130gf)
(PEELING DIRECTION AS SHOWN IN FOLLOWINGFIG.)
4. 製品詳細寸法については図面 SD-501864-004を参照下さい。
RE DETAILED DIMENSION, SEE SD-501864-004.
5. 材料(MATERIAL)
キャリアテープ(CARRIER TAPE)：ポリスチレン(POLYSTYRENE)
トップテープ(TOP TAPE)：PET, PE, PE
リール(REEL)：ポリスチレン(POLYSTYRENE)

501864-**80 MODEL NO.

REVISED EC NO: J2013-0731 DWG:KAGUMO CHKD:KATAHASHI APPR:KMOIKAWA	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
		10 UNDER	±0.2	DRAWN BY H.IIJIMA	DATE 06/01/17	TITLE EMBSTP PKG FOR 0.5 FFC TO BOARD CONN RA TYPE molex				
		10 OVER 30 UNDER	±0.25	CHECKED BY K.TAKAHASHI	DATE 06/01/17					
		30 OVER	±0.3	APPROVED BY H.HIRATA	DATE 06/01/17					
		ANGULAR ±1 °		MATERIAL NO. 501864-**80		DOCUMENT NO. SD-501864-005			SHEET NO. 1 OF 2	
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						



56	56.0	52.4	26.2	57.4	25.5	33.3	501864-5080	50
44	44.0	40.4	20.2	45.4	20.5	28.3	501864-4080	40
キャリアテープ幅 CARRIER TAPE WIDTH		F	E	D	C	B	A	製品番号 MATERIAL NO.
								極数 CKT

SEE SHEET 1 OF 2 EC NO.: J2013-0731 DRAWN: KNAGUMO 2012/08/02 CHKD: TAKAHASHI 2012/08/03 APPR: KMORIKAWA 2013/01/07	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
	10 UNDER ±0.2		DRAWN BY DATE H. IJIMA 06/01/17		TITLE EMBSTP PKG FOR 0.5 FFC TO BOARD CONN RA TYPE molex			
	10 OVER 30 UNDER ±0.25		CHECKED BY DATE K. TAKAHASHI 06/01/17					
	30 OVER ±0.3		APPROVED BY DATE H. HIRATA 06/01/17					
	ANGULAR ±1 °		MATERIAL NO. 501864-**80		DOCUMENT NO. SD-501864-005		SHEET NO. 2 OF 2	
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					
A	REV							