






REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
B1		REVISED PER ECN-25-333769	21JUL2025	TR	RK



- MATERIAL: HOUSING – HTN MOLDING COMPOUND, UL 94V-0, COLOR: BLACK
 TERMINAL – 0.36[.014] THICK PHOS BRONZE PLATED WITH 1.27 μ m [.000050] MINIMUM THICK HARD GOLD IN LOCALIZED GOLD PLATE AREA AND 3.81 μ m [.000150] MINIMUM THICK MATTE TIN IN SOLDER AREA OVER 1.27 μ m [.000050] MINIMUM THICK NICKEL UNDERPLATE.

- $\triangle 2$ CAVITY CONFORMS TO FCC RULES AND REGULATIONS PART 68, SUBPART F.
- $\triangle 3$ BULK PACKAGED IN A TRAY.
- $\triangle 4$ TERMINALS LOADED IN MIDDLE TWO (2) POSITIONS.



OBSOLETE	2 $\triangle 4$	$\triangle 3$	5569984-2
	6	$\triangle 3$	5569984-1
	TERMINALS	PACKAGED	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN L. VARELA - DOCK5 08JUN2005	TE Connectivity	
DIMENSIONS: mm [INCHES]		CHK J. WESTMAN 08JUN2005	NAME	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD S. FLICKINGER 08JUN2005	PRODUCT SPEC	
0 PLC ± -		114-2048	MODULAR JACK ASSEMBLY, TOP ENTRY, 6 POSITION, WITHOUT PANEL STOPS	
1 PLC ± -		108-1163	SIZE	RESTRICTED TO
2 PLC ± 0.13[.005]		APPLICATION SPEC	CAGE CODE	
3 PLC ± -		114-2048	DRAWING NO	
4 PLC ± -		WEIGHT	00779	
ANGLES ± -		0.000000	C=5569984	
FINISH		CUSTOMER DRAWING	SCALE	SHEET
SEE NOTE 1			4:1	1 OF 1
			REV	B1