









(仕上がり厚さ  $0.3 \pm 0.03$ )  
THICKNESS  
適合 FPC/FFC 推奨寸法  
APPLICABLE FPC/FFC  
RECOMMENDED DIMENSION.




参考基板レイアウト (マウント面)  
RECOMMENDED P.C.BOARD  
PATTERN DIMENSION (REF.)  
(MOUNTING AREA)

| THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |  |  |  |                        |  |         |  |                                                                                                                                |  |                          |  |                                                         |  |              |  |          |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|------------------------|--|---------|--|--------------------------------------------------------------------------------------------------------------------------------|--|--------------------------|--|---------------------------------------------------------|--|--------------|--|----------|--|
| GENERAL TOLERANCES<br>(UNLESS SPECIFIED)                                                                                                      |  |  |  | DIMENSION UNITS        |  | SCALE   |  | CURRENT REV DESC:                                                                                                              |  | molex                    |  |                                                         |  |              |  |          |  |
|                                                                                                                                               |  |  |  | mm                     |  | 10:1    |  |                                                                                                                                |  |                          |  |                                                         |  |              |  |          |  |
| 0.25 <sup>UNDER</sup>                                                                                                                         |  |  |  | UNDER                  |  | ±0.03   |  | EC NO: 760212<br>DRWN: RAJMOK<br>CHK'D: HSHIMOYAMA<br>APPR: YNAITO<br><br>INITIAL REVISION:<br>DRWN: MNINOMIYA<br>APPR: MSASAO |  |                          |  | 1.0 FFC CONN. NON ZIF<br>SMT ST (WITH TAPE) -LEAD FREE- |  |              |  |          |  |
| 0.25 <sup>OVER</sup>                                                                                                                          |  |  |  | 0.5 UNDER              |  | ±0.05   |  |                                                                                                                                |  |                          |  |                                                         |  |              |  |          |  |
| 0.5 OVER                                                                                                                                      |  |  |  | 1.0 UNDER              |  | ±0.1    |  |                                                                                                                                |  |                          |  |                                                         |  |              |  |          |  |
| 1.0 OVER                                                                                                                                      |  |  |  | 10 UNDER               |  | ±0.2    |  |                                                                                                                                |  |                          |  |                                                         |  |              |  |          |  |
| 10 OVER                                                                                                                                       |  |  |  | 30 UNDER               |  | ±0.25   |  |                                                                                                                                |  |                          |  |                                                         |  |              |  |          |  |
| 30 OVER                                                                                                                                       |  |  |  |                        |  | ±0.3    |  |                                                                                                                                |  |                          |  |                                                         |  |              |  |          |  |
| DRAFT WHERE APPLICABLE<br>MUST REMAIN<br>WITHIN DIMENSIONS                                                                                    |  |  |  | THIRD ANGLE PROJECTION |  | DRAWING |  | SERIES                                                                                                                         |  | PRODUCT CUSTOMER DRAWING |  |                                                         |  |              |  |          |  |
|                                                                                                                                               |  |  |  |                        |  | A3-SIZE |  | 52808                                                                                                                          |  | DOCUMENT NUMBER          |  | DOC TYPE                                                |  | DOC PART     |  | REVISION |  |
|                                                                                                                                               |  |  |  |                        |  |         |  |                                                                                                                                |  | SD-52808-025             |  | PSD                                                     |  | 001          |  | F        |  |
|                                                                                                                                               |  |  |  |                        |  |         |  |                                                                                                                                |  | MATERIAL NUMBER          |  | CUSTOMER                                                |  | SHEET NUMBER |  |          |  |
|                                                                                                                                               |  |  |  |                        |  |         |  |                                                                                                                                |  | SEE SHEET-1              |  | GENERAL MARKET                                          |  | 2 OF 2       |  |          |  |

|                 |    |              |            |          |
|-----------------|----|--------------|------------|----------|
| DOCUMENT STATUS | P1 | RELEASE DATE | 2023/08/21 | 09:52:47 |
|-----------------|----|--------------|------------|----------|



(仕上がり厚さ0.3 $\pm$ 0.03)  
THICKNESS  
適合FPC/FFC推奨寸法  
APPLICABLE FPC/FFC  
RECOMMENDED DIMENSION.



参考基板レイアウト (マウント面)  
RECOMMENDED P.C.BOARD  
PATTERN DIMENSION. (REF.)  
(MOUNTING AREA)

|                                                                                                                            |                         |                                                            |           |        |                                  |                                                                                                                                  |                                                                     |                        |                           |  |
|----------------------------------------------------------------------------------------------------------------------------|-------------------------|------------------------------------------------------------|-----------|--------|----------------------------------|----------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------|------------------------|---------------------------|--|
| SEE SHEET 1 OF 2<br>EC NO: J2015-0830<br>DRWN: SANUMA 2014/12/19<br>CHKD: TAKAHASHI 2015/02/06<br>APPR: YNOGAWA 2015/02/23 | DESCRIPTION<br>REV<br>D | GENERAL TOLERANCES<br>(UNLESS SPECIFIED)                   |           |        | DIMENSION STYLE<br>MM ONLY       |                                                                                                                                  | SCALE<br>10:1                                                       | DESIGN UNITS<br>METRIC | THIRD ANGLE<br>PROJECTION |  |
|                                                                                                                            |                         | 0.25 UNDER                                                 | UNDER     | ± 0.03 | DRAWN BY<br>MNINOMIYA            | DATE<br>2004/02/09                                                                                                               | TITLE<br>1.0 FFC CONN. NON ZIF<br>SMT ST (WITH TAPE)<br>-LEAD FREE- |                        |                           |  |
|                                                                                                                            |                         | 0.25 OVER                                                  | 0.5 UNDER | ± 0.05 | CHECKED BY<br>KTOJO              | DATE<br>2004/02/09                                                                                                               |                                                                     |                        |                           |  |
|                                                                                                                            |                         | 0.5 OVER                                                   | 1.0 UNDER | ± 0.1  | APPROVED BY<br>MSASAO            | DATE<br>2004/02/09                                                                                                               | DOCUMENT NO.<br>SD-52808-025                                        |                        |                           |  |
|                                                                                                                            |                         | 1.0 OVER                                                   | 10 UNDER  | ± 0.2  | MATERIAL NO.<br>SEE SHEET 1 OF 2 |                                                                                                                                  |                                                                     |                        |                           |  |
|                                                                                                                            |                         | 10 OVER                                                    | 30 UNDER  | ± 0.25 |                                  |                                                                                                                                  |                                                                     |                        |                           |  |
|                                                                                                                            |                         | 30 OVER                                                    |           | ± 0.3  | SHEET NO.<br>2 OF 2              |                                                                                                                                  |                                                                     |                        |                           |  |
|                                                                                                                            |                         | ANGULAR ±3 °                                               |           |        |                                  |                                                                                                                                  |                                                                     |                        |                           |  |
|                                                                                                                            |                         | DRAFT WHERE APPLICABLE<br>MUST REMAIN<br>WITHIN DIMENSIONS |           |        | SIZE<br>A3                       | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX<br>INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |                                                                     |                        |                           |  |
|                                                                                                                            |                         |                                                            |           |        |                                  |                                                                                                                                  |                                                                     |                        |                           |  |

10

9

8

7

6

5

4


3

2


1

## NOTES

- 製品詳細寸法については図面 SD-52808-025 を参照下さい。  
RE DETAILED DIMENSION, SEE SD-52808-025.
- 梱包数量：1000個/リール  
NUMBER OF CONNECTORS : 1000PCS/REEL
- リードテープ長さ LEAD TAPE LENGTH




引き出し方向  
PULL OUT  
DIRECTION



- トップテープの剥離強度：0.1N ～ 1.3N(10gf ～ 130gf)  
(剥離方向は下図参照)

尚、本規格値は出荷時に適用。(但し、輸送時に剥離が発生しないこと。)  
PEELING OFF FORCE OF TOP TAPE : 0.1N ～ 1.3N(10gf ～ 130gf)  
(PEELING DIRECTION AS SHOWN IN FOLLOWING FIG.)  
THIS REQUIREMENT SHOULD BE APPLIED AT SHIPMENT.  
PEEL OFF SHOULD NOT BE ALLOWED , DURING TRANSPORTATION.



- 材料(MATERIAL)  
キャリアテープ(CARRIER TAPE): ポリプロピレン(POLYPROPYLENE)  
トップテープ(TOPTAPE): PET, PE, PEF  
リール(REEL): ポリスチレン(PS) <リサイクル材を含む>  
POLYSTYRENE(PS) <RECYCLE MATERIAL CONTAINED>

- MXI 製造製品は紙リールを使用すること。  
ONLY MXI PRODUCT ITEM SHOULD USE CARD BOARD REEL.

- 本製品は 52808-\*\*\*9I の鉛フリー品である。  
THIS PRODUCT IS LEAD FREE OF 52808-\*\*\*9I.

| MODEL NO.                             |  |  |  | 52808-***71                                                                                                                   |  |  |  |
|---------------------------------------|--|--|--|-------------------------------------------------------------------------------------------------------------------------------|--|--|--|
| GENERAL TOLERANCES (UNLESS SPECIFIED) |  |  |  | THIRD ANGLE PROJECTION                                                                                                        |  |  |  |
| DIMENSION STYLE MM ONLY               |  |  |  | 1.0 FFC CONN NON ZIF SMT ST WITH TAPE EMBSTP PKG -LEAD FREE-                                                                  |  |  |  |
| SCALE ---                             |  |  |  | molex                                                                                                                         |  |  |  |
| DESIGN UNITS METRIC                   |  |  |  | SD-52808-026                                                                                                                  |  |  |  |
| DRAWN BY DATE                         |  |  |  | SHEET NO.                                                                                                                     |  |  |  |
| CHECKED BY DATE                       |  |  |  | 1 OF 6                                                                                                                        |  |  |  |
| APPROVED BY DATE                      |  |  |  | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |  |  |  |
| MATERIAL NO.                          |  |  |  |                                                                                                                               |  |  |  |
| SEE CHART                             |  |  |  |                                                                                                                               |  |  |  |
| SIZE A3                               |  |  |  |                                                                                                                               |  |  |  |

9

8

7

6


5

4

3

2

1



|                                |      |      |            |     |              |            |
|--------------------------------|------|------|------------|-----|--------------|------------|
| 16                             | 21.4 | 17.4 | 5.4        | 8.3 | 52808-0571   | 5          |
|                                |      |      | 4.4        | 7.3 | 52808-0471   | 4          |
| キャリアテープ幅<br>CARRIER TAPE WIDTH | D    | C    | (B)        | (A) | MATERIAL NO. | 極数<br>CKT. |
| MODEL NO.                      |      |      | 52808-**71 |     |              |            |

|                                                                                                                             |             |                                                            |           |           |                            |                                                                                                                                  |                                                                                             |                        |                           |  |  |
|-----------------------------------------------------------------------------------------------------------------------------|-------------|------------------------------------------------------------|-----------|-----------|----------------------------|----------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|------------------------|---------------------------|--|--|
| SEE SHEET 1 OF 6<br>EC NO: J2015-0830<br>DRWN: NASHIMA 2014/12/18<br>CHKD: TAKAHASHI 2015/02/06<br>APPR: YNOGAWA 2015/02/23 | DESCRIPTION | GENERAL TOLERANCES<br>(UNLESS SPECIFIED)                   |           |           | DIMENSION STYLE<br>MM ONLY |                                                                                                                                  | SCALE<br>---                                                                                | DESIGN UNITS<br>METRIC | THIRD ANGLE<br>PROJECTION |  |  |
|                                                                                                                             |             | 0.25 UNDER                                                 | UNDER     | ±0.03     | DRAWN BY                   | DATE                                                                                                                             | TITLE<br>1.0 FFC CONN NON ZIF SMT<br>ST WITH TAPE EMBSTP PKG<br>-LEAD FREE-<br><b>molex</b> |                        |                           |  |  |
|                                                                                                                             |             | 0.25 OVER                                                  | 0.5 UNDER | ±0.05     | MNINOMIYA                  | 2004/02/09                                                                                                                       |                                                                                             |                        |                           |  |  |
|                                                                                                                             |             | 0.5 OVER                                                   | 1.0 UNDER | ±0.1      | CHECKED BY                 | DATE                                                                                                                             |                                                                                             |                        |                           |  |  |
|                                                                                                                             |             | 1.0 OVER                                                   | 10 UNDER  | ±---      | KTOJO                      | 2004/02/09                                                                                                                       |                                                                                             |                        |                           |  |  |
|                                                                                                                             |             | 10 OVER                                                    | 30 UNDER  | ±---      | APPROVED BY                | DATE                                                                                                                             |                                                                                             |                        |                           |  |  |
|                                                                                                                             |             | 30 OVER                                                    |           | ±---      | MATERIAL NO.               |                                                                                                                                  | DOCUMENT NO.                                                                                |                        | SHEET NO.                 |  |  |
|                                                                                                                             | ANGULAR     | ±--- °                                                     |           | SEE CHART |                            | SD-52808-026                                                                                                                     |                                                                                             | 2 OF 6                 |                           |  |  |
|                                                                                                                             | REV         | DRAFT WHERE APPLICABLE<br>MUST REMAIN<br>WITHIN DIMENSIONS |           |           | SIZE<br>A3                 | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX<br>INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |                                                                                             |                        |                           |  |  |

10

9

8

7

6

5

4

3

2

1

F



E

D

C

B

A



24mm幅キャリアテープ  
24mm WIDTH CARRIER TAPE

|                                |      |      |             |      |              |            |
|--------------------------------|------|------|-------------|------|--------------|------------|
| 24                             | 29.4 | 25.4 | 10.4        | 13.3 | 52808-1071   | 10         |
|                                |      |      | 9.4         | 12.3 | 52808-0971   | 9          |
|                                |      |      | 8.4         | 11.3 | 52808-0871   | 8          |
|                                |      |      | 7.4         | 10.3 | 52808-0771   | 7          |
|                                |      |      | 6.4         | 9.3  | 52808-0671   | 6          |
| キャリアテープ幅<br>CARRIER TAPE WIDTH | D    | C    | (B)         | (A)  | MATERIAL NO. | 極数<br>CKT. |
| MODEL NO.                      |      |      | 52808-**-71 |      |              |            |

|                                                                                                                            |                      |                                                            |           |        |                            |            |                                                                                                 |                                                                |                           |  |  |
|----------------------------------------------------------------------------------------------------------------------------|----------------------|------------------------------------------------------------|-----------|--------|----------------------------|------------|-------------------------------------------------------------------------------------------------|----------------------------------------------------------------|---------------------------|--|--|
| SEE SHEET 1 OF 6<br>EC NO: J2015-0830<br>DRWN: SANUMA 2014/12/18<br>CHKD: TAKAHASHI 2015/02/06<br>APPR: YNOGAWA 2015/02/23 | DESCRIPTION<br>REV C | GENERAL TOLERANCES<br>(UNLESS SPECIFIED)                   |           |        | DIMENSION STYLE<br>MM ONLY |            | SCALE<br>---                                                                                    | DESIGN UNITS<br>METRIC                                         | THIRD ANGLE<br>PROJECTION |  |  |
|                                                                                                                            |                      | 0.25 UNDER                                                 | UNDER     | ± 0.03 | DRAWN BY                   | DATE       | TITLE<br>1.0 FFC CONN NON ZIF SMT<br>ST WITH TAPE EMBSTP PKG<br>-LEAD FREE-<br><br><b>molex</b> | DOCUMENT NO.<br>SD-52808-026                                   | SHEET NO.<br>3 OF 6       |  |  |
|                                                                                                                            |                      | 0.25 OVER                                                  | 0.5 UNDER | ± 0.05 | MNINOMIYA                  | 2004/02/09 |                                                                                                 |                                                                |                           |  |  |
|                                                                                                                            |                      | 0.5 OVER                                                   | 1.0 UNDER | ± 0.1  | CHECKED BY                 | DATE       |                                                                                                 |                                                                |                           |  |  |
|                                                                                                                            |                      | 1.0 OVER                                                   | 10 UNDER  | ± ---  | KTOJO                      | 2004/02/09 |                                                                                                 |                                                                |                           |  |  |
|                                                                                                                            |                      | 10 OVER                                                    | 30 UNDER  | ± ---  | APPROVED BY                | DATE       | SEE CHART                                                                                       | INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |                           |  |  |
|                                                                                                                            |                      | 30 OVER                                                    |           | ± ---  | MATERIAL NO.               |            |                                                                                                 |                                                                |                           |  |  |
|                                                                                                                            |                      | ANGULAR                                                    | ± --- °   |        |                            |            |                                                                                                 |                                                                |                           |  |  |
|                                                                                                                            |                      | DRAFT WHERE APPLICABLE<br>MUST REMAIN<br>WITHIN DIMENSIONS |           |        | SIZE<br>A3                 |            |                                                                                                 |                                                                |                           |  |  |

9

8

7

6


5

4

3

2

1



|                                |      |      |             |      |              |            |
|--------------------------------|------|------|-------------|------|--------------|------------|
| 32                             | 37.4 | 33.4 | 15.4        | 18.3 | 52808-1571   | 15         |
|                                |      |      | 14.4        | 17.3 | 52808-1471   | 14         |
|                                |      |      | 13.4        | 16.3 | 52808-1371   | 13         |
|                                |      |      | 12.4        | 15.3 | 52808-1271   | 12         |
|                                |      |      | 11.4        | 14.3 | 52808-1171   | 11         |
| キャリアテープ幅<br>CARRIER TAPE WIDTH | D    | C    | (B)         | (A)  | MATERIAL NO. | 種数<br>CKT. |
| MODEL NO.                      |      |      | 52808-***71 |      |              |            |

|                            |              |                        |                                                                                                                 |
|----------------------------|--------------|------------------------|-----------------------------------------------------------------------------------------------------------------|
| DIMENSION STYLE<br>MM ONLY | SCALE<br>--- | DESIGN UNITS<br>METRIC |  THIRD ANGLE<br>PROJECTION |
|----------------------------|--------------|------------------------|-----------------------------------------------------------------------------------------------------------------|

|            |            |                          |
|------------|------------|--------------------------|
| DRAWN BY   | DATE       | TITLE                    |
| MINOMIYA   | 2004/02/09 | 1.0 FFC CONN NON ZIF SMT |
| CHECKED BY | DATE       | ST WITH TAPE EMBSTP PKG  |
| KTOJO      | 2004/02/09 | -LEAD FREE-              |

**molex**

1.0 FFC CONN NON ZIF SMT  
ST WITH TAPE EMBSTP PKG  
-LEAD FREE-

SEE CHART

SD-52808-026

SHEET NO.  
4 OF 6

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

tb\_frame\_A3\_J\_ME\_S  
Rev H 2014/11/25

10

9

8

7

6

5

4

3

2

1

F



E

D

C

B

A



44mm幅キャリアテープ  
44mm WIDTH CARRIER TAPE

|                                |      |      |             |      |              |            |
|--------------------------------|------|------|-------------|------|--------------|------------|
| 44                             | 49.4 | 45.4 | 28.4        | 31.3 | 52808-2871   | 28         |
|                                |      |      | 27.4        | 30.3 | 52808-2771   | 27         |
|                                |      |      | 26.4        | 29.3 | 52808-2671   | 26         |
|                                |      |      | 25.4        | 28.3 | 52808-2571   | 25         |
|                                |      |      | 24.4        | 27.3 | 52808-2471   | 24         |
|                                |      |      | 23.4        | 26.3 | 52808-2371   | 23         |
|                                |      |      | 22.4        | 25.3 | 52808-2271   | 22         |
|                                |      |      | 21.4        | 24.3 | 52808-2171   | 21         |
|                                |      |      | 20.4        | 23.3 | 52808-2071   | 20         |
|                                |      |      | 19.4        | 22.3 | 52808-1971   | 19         |
|                                |      |      | 18.4        | 21.3 | 52808-1871   | 18         |
| キャリアテープ幅<br>CARRIER TAPE WIDTH | D    | C    | 17.4        | 20.3 | 52808-1771   | 17         |
|                                |      |      | 16.4        | 19.3 | 52808-1671   | 16         |
|                                |      |      | (B)         | (A)  | MATERIAL NO. | 極数<br>CKT. |
| MODEL NO.                      |      |      | 52808-**-71 |      |              |            |

|                                                                                                                              |                |                                                            |           |           |                            |                                                                                                                                  |                                                                             |                        |                           |  |  |
|------------------------------------------------------------------------------------------------------------------------------|----------------|------------------------------------------------------------|-----------|-----------|----------------------------|----------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|------------------------|---------------------------|--|--|
| SEE SHEET 1 OF 6<br>EC NO.: J2015-0830<br>DRWN:NASUNUMA 2014/12/18<br>CHKD:K.TAKAHASHI 2015/02/06<br>APPR:YNOGAWA 2015/02/23 | DESCRIPTION    | GENERAL TOLERANCES<br>(UNLESS SPECIFIED)                   |           |           | DIMENSION STYLE<br>MM ONLY |                                                                                                                                  | SCALE<br>---                                                                | DESIGN UNITS<br>METRIC | THIRD ANGLE<br>PROJECTION |  |  |
|                                                                                                                              |                | 0.25 UNDER                                                 | UNDER     | ± 0.03    | DRAWN BY                   | DATE                                                                                                                             | TITLE<br>1.0 FFC CONN NON ZIF SMT<br>ST WITH TAPE EMBSTP PKG<br>-LEAD FREE- |                        |                           |  |  |
|                                                                                                                              |                | 0.25 OVER                                                  | 0.5 UNDER | ± 0.05    | MNINOMIYA                  | 2004/02/09                                                                                                                       |                                                                             |                        |                           |  |  |
|                                                                                                                              |                | 0.5 OVER                                                   | 1.0 UNDER | ± 0.1     | CHECKED BY                 | DATE                                                                                                                             | KTOJO 2004/02/09                                                            |                        |                           |  |  |
|                                                                                                                              |                | 1.0 OVER                                                   | 10 UNDER  | ± ---     | APPROVED BY                | DATE                                                                                                                             |                                                                             |                        |                           |  |  |
|                                                                                                                              |                | 10 OVER                                                    | 30 UNDER  | ± ---     |                            |                                                                                                                                  | MATERIAL NO.                                                                | DOCUMENT NO.           | SHEET NO.                 |  |  |
|                                                                                                                              |                | 30 OVER                                                    |           | ± ---     |                            |                                                                                                                                  |                                                                             |                        |                           |  |  |
|                                                                                                                              | ANGULAR ±--- ° |                                                            |           | SEE CHART |                            | SD-52808-026                                                                                                                     |                                                                             | 5 OF 6                 |                           |  |  |
|                                                                                                                              | REV            | DRAFT WHERE APPLICABLE<br>MUST REMAIN<br>WITHIN DIMENSIONS |           |           | SIZE<br>A3                 | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX<br>INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |                                                                             |                        |                           |  |  |
|                                                                                                                              |                |                                                            |           |           |                            |                                                                                                                                  |                                                                             |                        |                           |  |  |

9

8

7

6

5

4

3

2

1

10

9

8

7

6

5

4

3

2

1

F

F

E

E

D

D

C


C

B

B

A

A



|                                |      |      |             |      |              |            |
|--------------------------------|------|------|-------------|------|--------------|------------|
| 56                             | 61.4 | 57.4 | 30.4        | 33.3 | 52808-3071   | 30         |
| キャリアテープ幅<br>CARRIER TAPE WIDTH | D    | C    | 29.4        | 32.3 | 52808-2971   | 29         |
| MODEL NO.                      |      |      | (B)         | (A)  | MATERIAL NO. | 極数<br>CKT. |
|                                |      |      | 52808-***71 |      |              |            |

|                                                            |  |           |                    |       |  |                            |  |                                                                                                                                  |             |                                                                                             |  |                     |  |                        |  |                           |  |
|------------------------------------------------------------|--|-----------|--------------------|-------|--|----------------------------|--|----------------------------------------------------------------------------------------------------------------------------------|-------------|---------------------------------------------------------------------------------------------|--|---------------------|--|------------------------|--|---------------------------|--|
| SEE SHEET 1 OF 6                                           |  |           | EC NO.: J2015-0830 |       |  | 2014/12/18                 |  |                                                                                                                                  | 2015/02/06  |                                                                                             |  | 2015/02/23          |  |                        |  |                           |  |
| DFWNSANJWA                                                 |  |           | CHIKDKTAKAHASHI    |       |  | APPR:YNOGAWA               |  |                                                                                                                                  | DESCRIPTION |                                                                                             |  | REV                 |  |                        |  |                           |  |
| GENERAL TOLERANCES<br>(UNLESS SPECIFIED)                   |  |           |                    |       |  | DIMENSION STYLE<br>MM ONLY |  |                                                                                                                                  |             |                                                                                             |  | SCALE<br>---        |  | DESIGN UNITS<br>METRIC |  | THIRD ANGLE<br>PROJECTION |  |
| 0.25 UNDER                                                 |  | UNDER     |                    | ±0.03 |  | DRAWN BY                   |  | DATE                                                                                                                             |             | TITLE<br>1.0 FFC CONN NON ZIF SMT<br>ST WITH TAPE EMBSTP PKG<br>-LEAD FREE-<br><b>molex</b> |  |                     |  |                        |  |                           |  |
| 0.25 OVER                                                  |  | 0.5 UNDER |                    | ±0.05 |  | MNINOMIYA                  |  | 2004/02/09                                                                                                                       |             |                                                                                             |  |                     |  |                        |  |                           |  |
| 0.5 OVER                                                   |  | 1.0 UNDER |                    | ±0.1  |  | CHECKED BY                 |  | DATE                                                                                                                             |             |                                                                                             |  |                     |  |                        |  |                           |  |
| 1.0 OVER                                                   |  | 10 UNDER  |                    | ±---  |  | KTOJO                      |  | 2004/02/09                                                                                                                       |             |                                                                                             |  |                     |  |                        |  |                           |  |
| 10 OVER                                                    |  | 30 UNDER  |                    | ±---  |  | APPROVED BY                |  | DATE                                                                                                                             |             | DOCUMENT NO.<br>SD-52808-026                                                                |  |                     |  |                        |  |                           |  |
| 30 OVER                                                    |  |           |                    | ±---  |  | MATERIAL NO.               |  |                                                                                                                                  |             |                                                                                             |  |                     |  |                        |  |                           |  |
| ANGULAR ±--- °                                             |  |           |                    |       |  | SEE CHART                  |  |                                                                                                                                  |             |                                                                                             |  | SHEET NO.<br>6 OF 6 |  |                        |  |                           |  |
| DRAFT WHERE APPLICABLE<br>MUST REMAIN<br>WITHIN DIMENSIONS |  |           |                    |       |  | SIZE<br>A3                 |  | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX<br>INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |             |                                                                                             |  |                     |  |                        |  |                           |  |