




1x2 BLADE SEALED ASSEMBLY KEYING CONFIGURATIONS. FOR PART NUMBERS REFER TO BOM SHEET.




KEYING OPTION A



KEYING OPTION B




KEYING OPTION C





KEYING OPTION E

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS		SCALE		CURRENT REV DESC: SEE REVISION TABLE											
MM		5:1													
GENERAL TOLERANCES (UNLESS SPECIFIED)															
ANGULAR TOL		±	3°												
4 PLACES		±													
3 PLACES		±													
2 PLACES		± 0.100		STATUS: Production		2025-09-05		molex 1.2MM 1X2, 1X3 BLADE MINOR UPDATES TO 3-CKT BOM PRODUCT CUSTOMER DRAWING							
1 PLACE		± 0.20		DRWN: Abhishek Gajare		2025-09-10									
0 PLACES		± 0.50		CHK'D: Abhishek Gajare		2025-09-10									
				APPR: SANDEEP S SIMHAN				DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION			
								SD-34899-2001		PSD	001	C1			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
						D-SIZE		34899		SEE BOM		GENERAL MARKET		2 OF 11	



CLIP-SLOT CONFIGURATIONS. FOR PART NUMBERS REFER TO BOM SHEET.




7mm CLIP-SLOT OPTION




11mm CLIP-SLOT OPTION








40G CLIP-SLOT OPTION




THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION												
DIMENSION UNITS		SCALE		CURRENT REV DESC: SEE REVISION TABLE								
MM		4:1										
GENERAL TOLERANCES (UNLESS SPECIFIED)				STATUS: Production DRWN: Abhishek Gajare CHK'D: Abhishek Gajare APPR: SANDEEP S SIMHAN 2025-09-05 2025-09-10 2025-09-10								
ANGULAR TOL		±	3°									
4 PLACES		±										
3 PLACES		±										
2 PLACES		± 0.100										
1 PLACE		± 0.20										
0 PLACES		± 0.50										
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER		CUSTOMER	SHEET NUMBER	
						D-SIZE	34899	SEE BOM		GENERAL MARKET	4 OF 11	
1.2MM 1X2, 1X3 BLADE MINOR UPDATES TO 3-CKT BOM						PRODUCT CUSTOMER DRAWING						
						DOCUMENT NUMBER				DOC TYPE	DOC PART	REVISION
						SD-34899-2001				PSD	001	C1



SECOND SHARKFIN ONLY
PRESENT ON 1X2 PNs



SECTION W-W





SECTION X-X

1x3 BLADE SEALED ASSEMBLY, 40G CLIP SLOT	19	16.75	21.75
1x3 BLADE SEALED ASSEMBLY, 11mm CLIP SLOT	19	14.6	20.75
1x3 BLADE SEALED ASSEMBLY, 7mm CLIP SLOT	19	17	20.5
1x2 BLADE SEALED ASSEMBLY, 40G CLIP SLOT	15	16.75	20.25
1x2 BLADE SEALED ASSEMBLY, 11mm CLIP SLOT	15	15.5	19
1x2 BLADE SEALED ASSEMBLY, 7mm CLIP SLOT	15	17	18.75
CONFIGURATION	A	B	C
CHARTED DIMENSIONS			




THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: SEE REVISION TABLE							
MM		4:1									
GENERAL TOLERANCES (UNLESS SPECIFIED)											
ANGULAR TOL ± 3°											
4 PLACES		±									
3 PLACES		±									
2 PLACES		± 0.100									
1 PLACE		± 0.20									
0 PLACES		± 0.50									
STATUS: Production DRWN: Abhishek Gajare											

CONNECTION SYSTEM PACKAGING






1x3 RECEPTACLE MATED TO 1x3 BLADE, 40 CLIP SLOT	TBD
1x3 RECEPTACLE MATED TO 1x3 BLADE, 11mm CLIP SLOT	24.0
1x3 RECEPTACLE MATED TO 1x3 BLADE, 7mm CLIP SLOT	23.0
1x2 RECEPTACLE MATED TO 1x2 BLADE, 40G CLIP SLOT	23.0
1x2 RECEPTACLE MATED TO 1x2 BLADE, 11mm CLIP SLOT	23.0
1x2 RECEPTACLE MATED TO 1x2 BLADE, 7mm CLIP SLOT	23.0
1.2mm CONNECTION SYSTEM CONFIGURATION	D
CHARTED DIMENSIONS	

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS		SCALE		CURRENT REV DESC: SEE REVISION TABLE				molex 1.2MM 1X2, 1X3 BLADE MINOR UPDATES TO 3-CKT BOM							
MM		6:1													
GENERAL TOLERANCES (UNLESS SPECIFIED)															
ANGULAR TOL		± 3°						PRODUCT CUSTOMER DRAWING							
4 PLACES		±										DOCUMENT NUMBER		DOC TYPE	
3 PLACES		±		SD-34899-2001		PSD						001		C1	
2 PLACES		± 0.100													
1 PLACE		± 0.20													
0 PLACES		± 0.50		STATUS: Production											
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				DRWN: Abhishek Gajare				2025-09-05							
				CHK'D: Abhishek Gajare				2025-09-10							
				APPR: SANDEEP S SIMHAN				2025-09-10							
THIRD ANGLE PROJECTION				DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER			
						D-SIZE		34899		SEE BOM		GENERAL MARKET		6 OF 11	



WIRE DRESS COVER
INTERFACE OPTION 1
WIRE DRESS COVERS
NOT AVAILABLE



WIRE DRESS COVER
INTERFACE OPTION 2
BASED ON HIRSCHMANN INTERFACE
DRAWING 808-012-xxx REV B5

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
DIMENSION UNITS MM		SCALE 4:1		CURRENT REV DESC: SEE REVISION TABLE			molex 1.2MM 1X2, 1X3 BLADE MINOR UPDATES TO 3-CKT BOM						
GENERAL TOLERANCES (UNLESS SPECIFIED)													
ANGULAR TOL ± 3°													
4 PLACES ±													
3 PLACES ±													
2 PLACES ± 0.100				STATUS: Production DRWN: Abhishek Gajare 2025-09-05 CHK'D: Abhishek Gajare 2025-09-10 APPR: SANDEEP S SIMHAN 2025-09-10									
1 PLACE ± 0.20													
0 PLACES ± 0.50													
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
				D-SIZE		34899		SEE BOM		GENERAL MARKET		7 OF 11	

KEYING OPTION E, 11mm CLIP SLOT, STONE GRAY	34899-2043	1																E	CONCEPT	
KEYING OPTION C, 11mm CLIP SLOT, DARK GRAY	34899-2042	1																C	CONCEPT	
KEYING OPTION B, 11mm CLIP SLOT, LIGHT GRAY	34899-2041	1															B		CONCEPT	
KEYING OPTION A, 11mm CLIP SLOT, BLACK	34899-2040	1															A		CONCEPT	
KEYING OPTION E, 11mm CLIP SLOT, YELLOW	34899-2033	1															E		CONCEPT	
KEYING OPTION C, 11mm CLIP SLOT, YELLOW	34899-2032	1															C		CONCEPT	
KEYING OPTION B, 11mm CLIP SLOT, YELLOW	34899-2031	1															B		CONCEPT	
KEYING OPTION A, 11mm CLIP SLOT, YELLOW	34899-2030	1															A		CONCEPT	
KEYING OPTION E, 7mm CLIP SLOT, STONE GRAY	34899-2023	1															E		OBSOLETE	
KEYING OPTION C, 7mm CLIP SLOT, DARK GRAY	34899-2022	1															C		OBSOLETE	
KEYING OPTION B, 7mm CLIP SLOT, LIGHT GRAY	34899-2021	1															B		OBSOLETE	
KEYING OPTION A, 7mm CLIP SLOT, BLACK	34899-2020	1															A		OBSOLETE	
KEYING OPTION E, 7mm CLIP SLOT, YELLOW	34899-2013	1															E		TOOLED BUT NOT VALIDATED	
KEYING OPTION C, 7mm CLIP SLOT, YELLOW	34899-2012	1															C		SALEABLE	
KEYING OPTION B, 7mm CLIP SLOT, YELLOW	34899-2011	1															B		OBSOLETE	
KEYING OPTION A, 7mm CLIP SLOT, YELLOW	34899-2010	1															A		SALEABLE	
ASSEMBLY DESCRIPTION	ASSEMBLY PART NUMBER	WIRE DRESS COVER INTERFACE OPTION																	PRODUCTION TOOL STATUS	COMMENTS

	PLR	NATURAL	SPS/NYLON GF20
	1x2 CONNECTOR HOUSING, KEYING OPTION E 11mm CLIP SLOT	STONE GRAY	SPS/NYLON GF20
	1x2 CONNECTOR HOUSING, KEYING OPTION C 11mm CLIP SLOT	DARK GRAY	SPS/NYLON GF20
	1x2 CONNECTOR HOUSING, KEYING OPTION B 11mm CLIP SLOT	LIGHT GRAY	SPS/NYLON GF20
	1x2 CONNECTOR HOUSING, KEYING OPTION A 11mm CLIP SLOT	BLACK	SPS/NYLON GF20
	1x2 CONNECTOR HOUSING, KEYING OPTION E 11mm CLIP SLOT	YELLOW	SPS/NYLON GF20
	1x2 CONNECTOR HOUSING, KEYING OPTION C 11mm CLIP SLOT	YELLOW	SPS/NYLON GF20
	1x2 CONNECTOR HOUSING, KEYING OPTION B 11mm CLIP SLOT	YELLOW	SPS/NYLON GF20
	1x2 CONNECTOR HOUSING, KEYING OPTION A 11mm CLIP SLOT	YELLOW	SPS/NYLON GF20
	1x2 CONNECTOR HOUSING, KEYING OPTION E 7mm CLIP SLOT	STONE GRAY	SPS/NYLON GF20
	1x2 CONNECTOR HOUSING, KEYING OPTION C 7mm CLIP SLOT	DARK GRAY	SPS/NYLON GF20
	1x2 CONNECTOR HOUSING, KEYING OPTION B 7mm CLIP SLOT	LIGHT GRAY	SPS/NYLON GF20
	1x2 CONNECTOR HOUSING, KEYING OPTION A 7mm CLIP SLOT	BLACK	SPS/NYLON GF20
	1x2 CONNECTOR HOUSING, KEYING OPTION E 7mm CLIP SLOT	YELLOW	SPS/NYLON GF20
	1x2 CONNECTOR HOUSING, KEYING OPTION C 7mm CLIP SLOT	YELLOW	SPS/NYLON GF20
	1x2 CONNECTOR HOUSING, KEYING OPTION B 7mm CLIP SLOT	YELLOW	SPS/NYLON GF20
	1x2 CONNECTOR HOUSING, KEYING OPTION A 7mm CLIP SLOT	YELLOW	SPS/NYLON GF20
DESCRIPTION		COLOR	MATERIAL
BOM/APPLICABLE COMPONENTS TABLE			

LEGEND TABLE	
ABBREVIATION	COMPONENT
A	CONNECTOR HOUSING KEYING OPTION A
B	CONNECTOR HOUSING KEYING OPTION B
C	CONNECTOR HOUSING KEYING OPTION C
E	CONNECTOR HOUSING KEYING OPTION E

1x2 BLADE SEALED ASSEMBLY BOM
FOR WIRE DRESS COVER INTERFACE 1
REFER WIRE DRESS COVER INTERFACE SHEET
FOR DETAILS

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS		SCALE		CURRENT REV DESC: SEE REVISION TABLE				molex 1.2MM 1X2, 1X3 BLADE MINOR UPDATES TO 3-CKT BOM							
MM		2:1													
GENERAL TOLERANCES (UNLESS SPECIFIED)															
ANGULAR TOL		±	3°												
4 PLACES		±													
3 PLACES		±													
2 PLACES		± 0.100													
1 PLACE		± 0.20													
0 PLACES		± 0.50													
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION 		DRAWING D-SIZE		SERIES 34899		DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION	
										SD-34899-2001		PSD	001	C1	
										MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
										SEE BOM		GENERAL MARKET		8 OF 11	

1x2 BLADE SEALED ASSEMBLY BOM
FOR WIRE DRESS COVER INTERFACE 2
REFER WIRE DRESS COVER INTERFACE SHEET
FOR DETAILS

KEYING OPTION A, 7mm CLIP SLOT, BLUE	34899-2160	2												A	SALEABLE	
KEYING OPTION A, 40G CLIP SLOT, BLACK	34899-2060	2												A	OK TO TOOL	
KEYING OPTION A, 40G CLIP SLOT, YELLOW	34899-2050	2											A		OK TO TOOL	
KEYING OPTION E, 7mm CLIP SLOT, STONE GRAY	34899-2083	2										E			OK TO TOOL	
KEYING OPTION C, 7mm CLIP SLOT, DARK GRAY	34899-2082	2										C			SALEABLE	
KEYING OPTION B, 7mm CLIP SLOT, LIGHT GRAY	34899-2081	2								B					SALEABLE	
KEYING OPTION A, 7mm CLIP SLOT, BLACK	34899-2080	2							A						SALEABLE	
KEYING OPTION E, 7mm CLIP SLOT, YELLOW	34899-2073	2						E							OK TO TOOL	
KEYING OPTION C, 7mm CLIP SLOT, YELLOW	34899-2072	2					C								SALEABLE	
KEYING OPTION B, 7mm CLIP SLOT, YELLOW	34899-2071	2				B									SALEABLE	
KEYING OPTION A, 7mm CLIP SLOT, YELLOW	34899-2070	2		A											SALEABLE	
ASSEMBLY DESCRIPTION	ASSEMBLY PART NUMBER	WIRE DRESS COVER INTERFACE OPTION													PRODUCTION TOOL STATUS	COMMENTS

PLR	NATURAL	SPS/NYLON GF20
1x2 CONNECTOR HOUSING, KEYING OPTION A 7mm CLIP SLOT	BLUE	SPS/NYLON GF20
1x2 CONNECTOR HOUSING, KEYING OPTION A 40G CLIP SLOT	BLACK	SPS/NYLON GF20
1x2 CONNECTOR HOUSING, KEYING OPTION A 40G CLIP SLOT	YELLOW	SPS/NYLON GF20
1x2 CONNECTOR HOUSING, KEYING OPTION E 7mm CLIP SLOT	STONE GRAY	SPS/NYLON GF20
1x2 CONNECTOR HOUSING, KEYING OPTION C 7mm CLIP SLOT	DARK GRAY	SPS/NYLON GF20
1x2 CONNECTOR HOUSING, KEYING OPTION B 7mm CLIP SLOT	LIGHT GRAY	SPS/NYLON GF20
1x2 CONNECTOR HOUSING, KEYING OPTION A 7mm CLIP SLOT	BLACK	SPS/NYLON GF20
1x2 CONNECTOR HOUSING, KEYING OPTION E 7mm CLIP SLOT	YELLOW	SPS/NYLON GF20
1x2 CONNECTOR HOUSING, KEYING OPTION C 7mm CLIP SLOT	YELLOW	SPS/NYLON GF20
1x2 CONNECTOR HOUSING, KEYING OPTION B 7mm CLIP SLOT	YELLOW	SPS/NYLON GF20
1x2 CONNECTOR HOUSING, KEYING OPTION A 7mm CLIP SLOT	YELLOW	SPS/NYLON GF20
DESCRIPTION	COLOR	MATERIAL
BOM/APPLICABLE COMPONENTS TABLE		

LEGEND TABLE	
ABBREVIATION	COMPONENT
A	CONNECTOR HOUSING KEYING OPTION A
B	CONNECTOR HOUSING KEYING OPTION B
C	CONNECTOR HOUSING KEYING OPTION C
E	CONNECTOR HOUSING KEYING OPTION E

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS		SCALE		CURRENT REV DESC: SEE REVISION TABLE			molex								
MM		1:1													
GENERAL TOLERANCES (UNLESS SPECIFIED)															
ANGULAR TOL ± 3°															
4 PLACES		±													
3 PLACES		±													
2 PLACES		± 0.100													
1 PLACE		± 0.20													
0 PLACES		± 0.50													
STATUS: Production				2025-09-05			DOCUMENT NUMBER								
DRWN: Abhishek Gajare				2025-09-10											
CHK'D: Abhishek Gajare				2025-09-10											
APPR: SANDEEP S SIMHAN				2025-09-10			SD-34899-2001								
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		DOC TYPE		DOC PART		REVISION	
										PSD		001		C1	
				D-SIZE		34899		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER			
								SEE BOM		GENERAL MARKET		9 OF 11			

KEYING OPTION A, 7mm CLIP SLOT, BLUE	34899-3160	2																		A	SALEABLE	
KEYING OPTION A, 40-G CLIP SLOT, BLACK	34899-3060	2																		A	CONCEPT	
KEYING OPTION A, 40-G CLIP SLOT, YELLOW	34899-3050	2																		A	CONCEPT	
KEYING OPTION D, 11mm CLIP SLOT, STONE GRAY	34899-3123	2																D			OK TO TOOL	
KEYING OPTION C, 11mm CLIP SLOT, DARK GRAY	34899-3122	2																	C		OK TO TOOL	
KEYING OPTION B, 11mm CLIP SLOT, LIGHT GRAY	34899-3121	2																	B		SALEABLE	
KEYING OPTION A, 11mm CLIP SLOT, BLACK	34899-3120	2																	A		SALEABLE	
KEYING OPTION D, 11mm CLIP SLOT, YELLOW	34899-3113	2																	D		OK TO TOOL	
KEYING OPTION C, 11mm CLIP SLOT, YELLOW	34899-3112	2																	C		OK TO TOOL	
KEYING OPTION B, 11mm CLIP SLOT, YELLOW	34899-3111	2																	B		SALEABLE	
KEYING OPTION A, 11mm CLIP SLOT, YELLOW	34899-3110	2																	A		SALEABLE	
KEYING OPTION D, 7mm CLIP SLOT, STONE GRAY	34899-3083	2																	D		OK TO TOOL	
KEYING OPTION C, 7mm CLIP SLOT, DARK GRAY	34899-3082	2																	C		OK TO TOOL	
KEYING OPTION B, 7mm CLIP SLOT, LIGHT GRAY	34899-3081	2																	B		SALEABLE	
KEYING OPTION A, 7mm CLIP SLOT, BLACK	34899-3080	2																	A		SALEABLE	
KEYING OPTION D, 7mm CLIP SLOT, YELLOW	34899-3073	2																	D		OK TO TOOL	
KEYING OPTION C, 7mm CLIP SLOT, YELLOW	34899-3072	2																	C		OK TO TOOL	
KEYING OPTION B, 7mm CLIP SLOT, YELLOW	34899-3071	2																	B		SALEABLE	
KEYING OPTION A, 7mm CLIP SLOT, YELLOW	34899-3070	2																	A		SALEABLE	
ASSEMBLY DESCRIPTION	ASSEMBLY PART NUMBER	WIRE DRESS COVER INTERFACE OPTION																			PRODUCTION TOOL STATUS	COMMENTS

PLR		NATURAL	SPS/NYLON GF20
1x3 CONNECTOR HOUSING, KEYING OPTION A 7mm CLIP SLOT		BLUE	SPS/NYLON GF20
1x3 CONNECTOR HOUSING, KEYING OPTION A 40G CLIP SLOT		BLACK	SPS/NYLON GF20
1x3 CONNECTOR HOUSING, KEYING OPTION A 40G CLIP SLOT		YELLOW	SPS/NYLON GF20
1x3 CONNECTOR HOUSING, KEYING OPTION D 11mm CLIP SLOT		STONE GRAY	SPS/NYLON GF20
1x3 CONNECTOR HOUSING, KEYING OPTION C 11mm CLIP SLOT		DARK GRAY	SPS/NYLON GF20
1x3 CONNECTOR HOUSING, KEYING OPTION B 11mm CLIP SLOT		LIGHT GRAY	SPS/NYLON GF20
1x3 CONNECTOR HOUSING, KEYING OPTION A 11mm CLIP SLOT		BLACK	SPS/NYLON GF20
1x3 CONNECTOR HOUSING, KEYING OPTION D 11mm CLIP SLOT		YELLOW	SPS/NYLON GF20
1x3 CONNECTOR HOUSING, KEYING OPTION C 11mm CLIP SLOT		YELLOW	SPS/NYLON GF20
1x3 CONNECTOR HOUSING, KEYING OPTION B 11mm CLIP SLOT		YELLOW	SPS/NYLON GF20
1x3 CONNECTOR HOUSING, KEYING OPTION A 11mm CLIP SLOT		YELLOW	SPS/NYLON GF20
1x3 CONNECTOR HOUSING, KEYING OPTION D 7mm CLIP SLOT		STONE GRAY	SPS/NYLON GF20
1x3 CONNECTOR HOUSING, KEYING OPTION C 7mm CLIP SLOT		DARK GRAY	SPS/NYLON GF20
1x3 CONNECTOR HOUSING, KEYING OPTION B 7mm CLIP SLOT		LIGHT GRAY	SPS/NYLON GF20
1x3 CONNECTOR HOUSING, KEYING OPTION A 7mm CLIP SLOT		BLACK	SPS/NYLON GF20
1x3 CONNECTOR HOUSING, KEYING OPTION D 7mm CLIP SLOT		YELLOW	SPS/NYLON GF20
1x3 CONNECTOR HOUSING, KEYING OPTION C 7mm CLIP SLOT		YELLOW	SPS/NYLON GF20
1x3 CONNECTOR HOUSING, KEYING OPTION B 7mm CLIP SLOT		YELLOW	SPS/NYLON GF20
1x3 CONNECTOR HOUSING, KEYING OPTION A 7mm CLIP SLOT		YELLOW	SPS/NYLON GF20
DESCRIPTION		COLOR	MATERIAL
BOM/APPLICABLE COMPONENTS TABLE			

1x3 BLADE SEALED ASSEMBLY BOM
FOR WIRE DRESS COVER INTERFACE 2
REFER WIRE DRESS COVER INTERFACE SHEET
FOR DETAILS

LEGEND TABLE	
ABBREVIATION	COMPONENT
A	CONNECTOR HOUSING KEYING OPTION A
B	CONNECTOR HOUSING KEYING OPTION B
C	CONNECTOR HOUSING KEYING OPTION C
D	CONNECTOR HOUSING KEYING OPTION D

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS

MM

SCALE

1:1

GENERAL TOLERANCES
(UNLESS SPECIFIED)

ANGULAR TOL ± 3°

4 PLACES ±

3 PLACES ±

2 PLACES ± 0.100

1 PLACE ± 0.20

0 PLACES ± 0.50

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

THIRD ANGLE PROJECTION



CURRENT REV DESC: SEE REVISION TABLE

STATUS: Production

DRWN: Abhishek Gajare

CHK'D: Abhishek Gajare

APPR: SANDEEP S SIMHAN

2025-09-05

2025-09-10

2025-09-10

D-DRAWING

D-SIZE

SERIES

34899

DOCUMENT NUMBER

SD-34899-2001

DOC TYPE

PSD

DOC PART

001

REVISION

C1

PRODUCT CUSTOMER DRAWING

MATERIAL NUMBER

SEE BOM

CUSTOMER

GENERAL MARKET

SHEET NUMBER

11 OF 11

19

18

17

16

15

14

13

12

11

10

9

8

7

6

5

4

3

2

1