




製品形状
PRODUCT SHAPE




8-14極
8-14 CIRCUIT




16-24極
16-24 CIRCUIT



26-32極
26-32 CIRCUIT



34-40極
34-40 CIRCUIT



42極
42 CIRCUIT

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: REMOVED OBSOLETE PART NUMBERS AS PER PCN #516676							
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)				STATUS: Production DRWN: Pranav Arunkumar2026-04-23 CHK'D: Ganesh Rao B2026-05-06 APPR: Gurunandan GA2026-05-06 THIRD ANGLE PROJECTION DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS							
ANGULAR TOL		± 3°									
4 PLACES		± 0.20000									
3 PLACES		± 0.2000									
2 PLACES		± 0.200									
1 PLACE		± 0.20									
0 PLACES		± 0.20									
DRAWING				SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
A3-SIZE				505432		SEE SHEET 3		GENERAL		2 OF 3	

molex				
MICRO-LOCK PLUS 1.25 W/B DUAL ROW RECEPTACLE HOUSING				
PRODUCT CUSTOMER DRAWING				
DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION
5054320000		PSD	000	H2
MATERIAL NUMBER		CUSTOMER		SHEET NUMBER
SEE SHEET 3		GENERAL		2 OF 3

molex

MICRO-LOCK PLUS 1.25 W/B
DUAL ROW RECEPTACLE HOUSING

PRODUCT CUSTOMER DRAWING

DOCUMENT NUMBER	DOC TYPE	DOC PART	REVISION
5054320000	PSD	000	H2

10	9	8	7	6	5	4	3	2	1																																																																																																																																																																																																																					
△₃ 適合製品及び各種仕様書 APPLICABLE PRODUCTS AND VARIOUS SPECIFICATIONS <table><tr><td>梱包仕様書 PACKAGING SPECIFICATION</td><td colspan="2">PART NUMBER 505432**0*</td><td colspan="2">SPECIFICATION NUMBER 5054329200 PS 200</td></tr><tr><td rowspan="3">適合ターミナル APPLICABLE TERMINAL</td><td colspan="2">PART NUMBER 5054311000</td><td colspan="2">PLATING TYPE TIN</td><td rowspan="3">WIRE SIZE(AWG) #26-30</td></tr><tr><td colspan="2">5054311*00 1,2,3 ↑</td><td colspan="2">GOLD</td></tr><tr><td colspan="2"></td><td colspan="2"></td></tr><tr><td>適合嵌合相手 MATE WITH</td><td colspan="2">TIN PLATING</td><td colspan="2">GOLD PLATING</td><td></td></tr><tr><td>シリーズ番号 SERIES NUMBER</td><td>505433**** 7,8 ↑</td><td>505448**7*</td><td>505433**** 2,3,4,5,6,9 ↑</td><td>505448**** 3,5,9 ↑</td><td></td></tr><tr><td>製品仕様書 PRODUCT SPECIFICATION</td><td colspan="2">5054320000 PS 002</td><td colspan="2">5054320000 PS 006</td><td></td></tr><tr><td>コネクタ取扱説明書 APPLICATION SPECIFICATION</td><td colspan="5">5054320000-AS PS 000</td></tr></table> 製品嵌合図は各嵌合相手図面を参照のこと MATING VIEW : REFER TO EACH "MATE WITH" PART DRAWING. △₄ 505432**0* 発注番号一覧 ORDER NUMBER LIST <table><tr><td>BLUE</td><td>RED</td><td>BLACK</td><td>NATURAL (WHITE)</td><td>HOUSING COLOR</td></tr><tr><td>5054324204</td><td>5054324202</td><td>5054324201</td><td>5054324200</td><td>42</td></tr><tr><td>5054324004</td><td>5054324002</td><td>5054324001</td><td>5054324000</td><td>40</td></tr><tr><td>5054323804</td><td>5054323802</td><td>5054323801</td><td>5054323800</td><td>38</td></tr><tr><td>5054323604</td><td>5054323602</td><td>5054323601</td><td>5054323600</td><td>36</td></tr><tr><td>5054323404</td><td>5054323402</td><td>5054323401</td><td>5054323400</td><td>34</td></tr><tr><td>5054323204</td><td>5054323202</td><td>5054323201</td><td>5054323200</td><td>32</td></tr><tr><td>5054323004</td><td>5054323002</td><td>5054323001</td><td>5054323000</td><td>30</td></tr><tr><td>5054322804</td><td>5054322802</td><td>5054322801</td><td>5054322800</td><td>28</td></tr><tr><td>5054322604</td><td>5054322602</td><td>5054322601</td><td>5054322600</td><td>26</td></tr><tr><td>5054322404</td><td>5054322402</td><td>5054322401</td><td>5054322400</td><td>24</td></tr><tr><td>5054322204</td><td>5054322202</td><td>5054322201</td><td>5054322200</td><td>22</td></tr><tr><td>5054322004</td><td>5054322002</td><td>5054322001</td><td>5054322000</td><td>20</td></tr><tr><td>5054321804</td><td>5054321802</td><td>5054321801</td><td>5054321800</td><td>18</td></tr><tr><td>5054321604</td><td>5054321602</td><td>5054321601</td><td>5054321600</td><td>16</td></tr><tr><td>5054321404</td><td>5054321402</td><td>5054321401</td><td>5054321400</td><td>14</td></tr><tr><td>5054321204</td><td>5054321202</td><td>5054321201</td><td>5054321200</td><td>12</td></tr><tr><td>5054321004</td><td>5054321002</td><td>5054321001</td><td>5054321000</td><td>10</td></tr><tr><td>5054320804</td><td>5054320802</td><td>5054320801</td><td>5054320800</td><td>8</td></tr><tr><td colspan="4">発注番号 ORDER NUMBER</td><td rowspan="2">極数 CIRCUIT SIZE</td></tr><tr><td colspan="4">梱包形態 : ポリ袋 PACKAGING : POLYBAG PACKAGE</td></tr></table> <table><tr><td colspan="10">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr><tr><td colspan="2">DIMENSION UNITS mm</td><td colspan="2">SCALE NTS</td><td colspan="3" rowspan="5">CURRENT REV DESC: REMOVED OBSOLETE PART NUMBERS AS PER PCN #516676</td><td colspan="3" rowspan="3">molex</td></tr><tr><td colspan="4">GENERAL TOLERANCES (UNLESS SPECIFIED)</td></tr><tr><td colspan="4">ANGULAR TOL ± 3°</td></tr><tr><td colspan="2">4 PLACES ± 0.20000</td><td colspan="2">3 PLACES ± 0.2000</td></tr><tr><td colspan="2">2 PLACES ± 0.200</td><td colspan="2">1 PLACE ± 0.20</td></tr><tr><td colspan="2">0 PLACES ± 0.20</td><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">THIRD ANGLE PROJECTION</td><td colspan="2">DRAWING A3-SIZE</td><td colspan="2">SERIES 505432</td></tr><tr><td colspan="4">DOCUMENT NUMBER 5054320000</td><td colspan="2">DOC TYPE PSD</td><td colspan="2">DOC PART 000</td><td colspan="2">REVISION H2</td></tr><tr><td colspan="4">MATERIAL NUMBER SEE SHEET 3</td><td colspan="2">CUSTOMER GENERAL</td><td colspan="4">SHEET NUMBER 3 OF 3</td></tr></table>										梱包仕様書 PACKAGING SPECIFICATION	PART NUMBER 505432**0*		SPECIFICATION NUMBER 5054329200 PS 200		適合ターミナル APPLICABLE TERMINAL	PART NUMBER 5054311000		PLATING TYPE TIN		WIRE SIZE(AWG) #26-30	5054311*00 1,2,3 ↑		GOLD						適合嵌合相手 MATE WITH	TIN PLATING		GOLD PLATING			シリーズ番号 SERIES NUMBER	505433**** 7,8 ↑	505448**7*	505433**** 2,3,4,5,6,9 ↑	505448**** 3,5,9 ↑		製品仕様書 PRODUCT SPECIFICATION	5054320000 PS 002		5054320000 PS 006			コネクタ取扱説明書 APPLICATION SPECIFICATION	5054320000-AS PS 000					BLUE	RED	BLACK	NATURAL (WHITE)	HOUSING COLOR	5054324204	5054324202	5054324201	5054324200	42	5054324004	5054324002	5054324001	5054324000	40	5054323804	5054323802	5054323801	5054323800	38	5054323604	5054323602	5054323601	5054323600	36	5054323404	5054323402	5054323401	5054323400	34	5054323204	5054323202	5054323201	5054323200	32	5054323004	5054323002	5054323001	5054323000	30	5054322804	5054322802	5054322801	5054322800	28	5054322604	5054322602	5054322601	5054322600	26	5054322404	5054322402	5054322401	5054322400	24	5054322204	5054322202	5054322201	5054322200	22	5054322004	5054322002	5054322001	5054322000	20	5054321804	5054321802	5054321801	5054321800	18	5054321604	5054321602	5054321601	5054321600	16	5054321404	5054321402	5054321401	5054321400	14	5054321204	5054321202	5054321201	5054321200	12	5054321004	5054321002	5054321001	5054321000	10	5054320804	5054320802	5054320801	5054320800	8	発注番号 ORDER NUMBER				極数 CIRCUIT SIZE	梱包形態 : ポリ袋 PACKAGING : POLYBAG PACKAGE				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										DIMENSION UNITS mm		SCALE NTS		CURRENT REV DESC: REMOVED OBSOLETE PART NUMBERS AS PER PCN #516676			molex			GENERAL TOLERANCES (UNLESS SPECIFIED)				ANGULAR TOL ± 3°				4 PLACES ± 0.20000		3 PLACES ± 0.2000		2 PLACES ± 0.200		1 PLACE ± 0.20		0 PLACES ± 0.20		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING A3-SIZE		SERIES 505432		DOCUMENT NUMBER 5054320000				DOC TYPE PSD		DOC PART 000		REVISION H2		MATERIAL NUMBER SEE SHEET 3				CUSTOMER GENERAL		SHEET NUMBER 3 OF 3			
梱包仕様書 PACKAGING SPECIFICATION	PART NUMBER 505432**0*		SPECIFICATION NUMBER 5054329200 PS 200																																																																																																																																																																																																																											
適合ターミナル APPLICABLE TERMINAL	PART NUMBER 5054311000		PLATING TYPE TIN		WIRE SIZE(AWG) #26-30																																																																																																																																																																																																																									
	5054311*00 1,2,3 ↑		GOLD																																																																																																																																																																																																																											
適合嵌合相手 MATE WITH	TIN PLATING		GOLD PLATING																																																																																																																																																																																																																											
シリーズ番号 SERIES NUMBER	505433**** 7,8 ↑	505448**7*	505433**** 2,3,4,5,6,9 ↑	505448**** 3,5,9 ↑																																																																																																																																																																																																																										
製品仕様書 PRODUCT SPECIFICATION	5054320000 PS 002		5054320000 PS 006																																																																																																																																																																																																																											
コネクタ取扱説明書 APPLICATION SPECIFICATION	5054320000-AS PS 000																																																																																																																																																																																																																													
BLUE	RED	BLACK	NATURAL (WHITE)	HOUSING COLOR																																																																																																																																																																																																																										
5054324204	5054324202	5054324201	5054324200	42																																																																																																																																																																																																																										
5054324004	5054324002	5054324001	5054324000	40																																																																																																																																																																																																																										
5054323804	5054323802	5054323801	5054323800	38																																																																																																																																																																																																																										
5054323604	5054323602	5054323601	5054323600	36																																																																																																																																																																																																																										
5054323404	5054323402	5054323401	5054323400	34																																																																																																																																																																																																																										
5054323204	5054323202	5054323201	5054323200	32																																																																																																																																																																																																																										
5054323004	5054323002	5054323001	5054323000	30																																																																																																																																																																																																																										
5054322804	5054322802	5054322801	5054322800	28																																																																																																																																																																																																																										
5054322604	5054322602	5054322601	5054322600	26																																																																																																																																																																																																																										
5054322404	5054322402	5054322401	5054322400	24																																																																																																																																																																																																																										
5054322204	5054322202	5054322201	5054322200	22																																																																																																																																																																																																																										
5054322004	5054322002	5054322001	5054322000	20																																																																																																																																																																																																																										
5054321804	5054321802	5054321801	5054321800	18																																																																																																																																																																																																																										
5054321604	5054321602	5054321601	5054321600	16																																																																																																																																																																																																																										
5054321404	5054321402	5054321401	5054321400	14																																																																																																																																																																																																																										
5054321204	5054321202	5054321201	5054321200	12																																																																																																																																																																																																																										
5054321004	5054321002	5054321001	5054321000	10																																																																																																																																																																																																																										
5054320804	5054320802	5054320801	5054320800	8																																																																																																																																																																																																																										
発注番号 ORDER NUMBER				極数 CIRCUIT SIZE																																																																																																																																																																																																																										
梱包形態 : ポリ袋 PACKAGING : POLYBAG PACKAGE																																																																																																																																																																																																																														
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																																																																																																																																																														
DIMENSION UNITS mm		SCALE NTS		CURRENT REV DESC: REMOVED OBSOLETE PART NUMBERS AS PER PCN #516676			molex																																																																																																																																																																																																																							
GENERAL TOLERANCES (UNLESS SPECIFIED)																																																																																																																																																																																																																														
ANGULAR TOL ± 3°																																																																																																																																																																																																																														
4 PLACES ± 0.20000		3 PLACES ± 0.2000																																																																																																																																																																																																																												
2 PLACES ± 0.200		1 PLACE ± 0.20																																																																																																																																																																																																																												
0 PLACES ± 0.20		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING A3-SIZE		SERIES 505432																																																																																																																																																																																																																						
DOCUMENT NUMBER 5054320000				DOC TYPE PSD		DOC PART 000		REVISION H2																																																																																																																																																																																																																						
MATERIAL NUMBER SEE SHEET 3				CUSTOMER GENERAL		SHEET NUMBER 3 OF 3																																																																																																																																																																																																																								
9	8	7	6	5	4	3	2	1																																																																																																																																																																																																																						