
















断面図 (参考)




7.7	9.1	9.4	6.5	9.8	5019511430	14
7.2	8.6	8.9	6	9.3	5019511330	13
6.7	8.1	8.4	5.5	8.8	5019511230	12
6.2	7.6	7.9	5	8.3	5019511130	11
5.7	7.1	7.4	4.5	7.8	5019511030	10
5.2	6.6	6.9	4	7.3	5019510930	9
4.7	6.1	6.4	3.5	6.8	5019510830	8
4.2	5.6	5.9	3	6.3	5019510730	7
3.7	5.1	5.4	2.5	5.8	5019510630	6
3.2	4.6	4.9	2	5.3	5019510530	5
2.7	4.1	4.4	1.5	4.8	5019510430	4
E	D	C	B	A	EMBOSSED TAPE ORDER NO.	CIRCUITS

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex	
mm		10:1							
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 611684 DRWN: SKAWAKAMI 2019/02/07 CHK'D: TRSUZUKI 2019/02/07 APPR: RTAKEUCHI 2019/02/08 INITIAL REVISION: DRWN: SKAWAKAMI 2018/11/26 APPR: RTAKEUCHI 2019/02/01					
ANGULAR TOL ± 1.0 °									
4 PLACES		± 0.2							
3 PLACES		± 0.2							
2 PLACES		± 0.2							
1 PLACE		± 0.2							
0 PLACES		± 0.2							
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES	
						A3-SIZE		501951	

DOCUMENT STATUS	P1	RELEASE DATE	2019/02/08	03:26:20
-----------------	----	--------------	------------	----------

CONNECTOR SERIES NO.	501951**39
----------------------	------------




8	35.7	37.1	37.4	34.5	37.8	5019517030	70
	30.7	32.1	32.4	29.5	32.8	5019516030	60
	30.2	31.6	31.9	29	32.3	5019515930	59
	29.7	31.1	31.4	28.5	31.8	5019515830	58
	29.2	30.6	30.9	28	31.3	5019515730	57
	28.7	30.1	30.4	27.5	30.8	5019515630	56
	28.2	29.6	29.9	27	30.3	5019515530	55
	27.7	29.1	29.4	26.5	29.8	5019515430	54
	27.2	28.6	28.9	26	29.3	5019515330	53
	26.7	28.1	28.4	25.5	28.8	5019515230	52
	26.2	27.6	27.9	25	28.3	5019515130	51
	25.7	27.1	27.4	24.5	27.8	5019515030	50
	25.2	26.6	26.9	24	27.3	5019514930	49
	24.7	26.1	26.4	23.5	26.8	5019514830	48
	24.2	25.6	25.9	23	26.3	5019514730	47
	23.7	25.1	25.4	22.5	25.8	5019514630	46
	23.2	24.6	24.9	22	25.3	5019514530	45
	22.7	24.1	24.4	21.5	24.8	5019514430	44
	22.2	23.6	23.9	21	24.3	5019514330	43
	21.7	23.1	23.4	20.5	23.8	5019514230	42
	21.2	22.6	22.9	20	23.3	5019514130	41
	20.7	22.1	22.4	19.5	22.8	5019514030	40
	20.2	21.6	21.9	19	22.3	5019513930	39
	19.7	21.1	21.4	18.5	21.8	5019513830	38
	19.2	20.6	20.9	18	21.3	5019513730	37
	18.7	20.1	20.4	17.5	20.8	5019513630	36
	18.2	19.6	19.9	17	20.3	5019513530	35
	17.7	19.1	19.4	16.5	19.8	5019513430	34
	17.2	18.6	18.9	16	19.3	5019513330	33
	16.7	18.1	18.4	15.5	18.8	5019513230	32
	16.2	17.6	17.9	15	18.3	5019513130	31
	15.7	17.1	17.4	14.5	17.8	5019513030	30
	15.2	16.6	16.9	14	17.3	5019512930	29
	14.7	16.1	16.4	13.5	16.8	5019512830	28
	14.2	15.6	15.9	13	16.3	5019512730	27
	13.7	15.1	15.4	12.5	15.8	5019512630	26
	13.2	14.6	14.9	12	15.3	5019512530	25
	12.7	14.1	14.4	11.5	14.8	5019512430	24
	12.2	13.6	13.9	11	14.3	5019512330	23
	11.7	13.1	13.4	10.5	13.8	5019512230	22
11.2	12.6	12.9	10	13.3	5019512130	21	
10.7	12.1	12.4	9.5	12.8	5019512030	20	
10.2	11.6	11.9	9	12.3	5019511930	19	
9.7	11.1	11.4	8.5	11.8	5019511830	18	
9.2	10.6	10.9	8	11.3	5019511730	17	
8.7	10.1	10.4	7.5	10.8	5019511630	16	
8.2	9.6	9.9	7	10.3	5019511530	15	
F	E	D	C	B	A	EMBOSSED PACKAGE ORDER NO.	CIRCUITS


THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																	
DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex									
mm		10:1															
GENERAL TOLERANCES (UNLESS SPECIFIED)				0.5 FPC CONN. HSG ASSY EASY ON VERTICAL (LOW-HALOGEN)													
ANGULAR TOL ± 1.0 °																	
4 PLACES		± 0.2		EC NO: 611684		2019/02/07											
3 PLACES		± 0.2		DRWN: SKAWAKAMI													
2 PLACES		± 0.2		CHK'D: TRSUZUKI													
1 PLACE		± 0.2		APPR: RTAKEUCHI		2019/02/08											
0 PLACES		± 0.2		INITIAL REVISION:		2018/11/26											
				DRWN: SKAWAKAMI													
				APPR: RTAKEUCHI													
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		DOCUMENT NUMBER		DOC TYPE		DOC PART		REVISION	
						A3-SIZE		501951		5019511005-SD		PSD		000		B	
										MATERIAL NUMBER		CUSTOMER		SHEET NUMBER			
										SEE CHART				2 OF 4			

DOCUMENT STATUS	P1	RELEASE DATE	2019/02/08	03:26:20
-----------------	----	--------------	------------	----------


CONNECTOR SERIES NO.	501951**39
----------------------	------------




適合FPC推奨寸法
APPLICABLE FPC
RECOMMENDED DIMENSION
(仕上がり厚さ : 0.3 ± 0.05)
(THICKNESS : 0.3 ± 0.05)



適合FFC推奨寸法
APPLICABLE FFC
RECOMMENDED DIMENSION
(仕上がり厚さ : 0.3 ± 0.05)
(THICKNESS : 0.3 ± 0.05)




FPC構成推奨仕様
STRUCTURE OF FPC



FFC構成推奨仕様

STRUCTURE OF FFC

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										
DIMENSION UNITS		SCALE		CURRENT REV DESC:			molex			
mm		10:1								
GENERAL TOLERANCES (UNLESS SPECIFIED)		EC NO: 611684 DRWN: SKAWAKAMI 2019/02/07 CHK'D: TRSUZUKI 2019/02/07 APPR: RTAKEUCHI 2019/02/08 INITIAL REVISION: DRWN: SKAWAKAMI 2018/11/26 APPR: RTAKEUCHI 2019/02/01						0.5 FPC CONN. HSG ASSY EASY ON VERTICAL (LOW-HALOGEN)		
ANGULAR TOL ± 1.0 °										
4 PLACES ± 0.2								PRODUCT CUSTOMER DRAWING		
3 PLACES ± 0.2										
2 PLACES ± 0.2										
1 PLACE ± 0.2		DOCUMENT NUMBER			DOC TYPE		DOC PART	REVISION		
0 PLACES ± 0.2		5019511005-SD			PSD		000	B		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER		CUSTOMER		SHEET NUMBER
				A3-SIZE	501951	SEE CHART				3 OF 4

