










| TIN PLATING |         |              |            |       |       |       |       |       |
|-------------|---------|--------------|------------|-------|-------|-------|-------|-------|
| PART NO.    | COLOR   | CIRCUIT SIZE | KEY OPTION | DIM A | DIM F | DIM C | DIM D | DIM E |
| 172316-3104 | BLACK   | 4            | KEY A      | 3.50  | 10.30 | 1.75  | 0.00  | 4.25  |
| 172316-3106 | BLACK   | 6            | KEY A      | 7.00  | 13.80 | 3.50  | 0.00  | 6.00  |
| 172316-3108 | BLACK   | 8            | KEY A      | 10.50 | 17.30 | 5.25  | 7.00  | 7.75  |
| 172316-3110 | BLACK   | 10           | KEY A      | 14.00 | 20.80 | 7.00  | 10.50 | 9.50  |
| 172316-3112 | BLACK   | 12           | KEY A      | 17.50 | 24.30 | 8.75  | 14.00 | 11.25 |
| 172316-3114 | BLACK   | 14           | KEY A      | 21.00 | 27.80 | 10.50 | 17.50 | 13.00 |
| 172316-3116 | BLACK   | 16           | KEY A      | 24.50 | 31.30 | 12.25 | 21.00 | 14.75 |
| 172316-4104 | NATURAL | 4            | KEY B      | 3.50  | 10.30 | 1.75  | 0.00  | 4.25  |
| 172316-4106 | NATURAL | 6            | KEY B      | 7.00  | 13.80 | 3.50  | 0.00  | 6.00  |
| 172316-4108 | NATURAL | 8            | KEY B      | 10.50 | 17.30 | 5.25  | 7.00  | 7.75  |
| 172316-4110 | NATURAL | 10           | KEY B      | 14.00 | 20.80 | 7.00  | 10.50 | 9.50  |
| 172316-4112 | NATURAL | 12           | KEY B      | 17.50 | 24.30 | 8.75  | 14.00 | 11.25 |
| 172316-4114 | NATURAL | 14           | KEY B      | 21.00 | 27.80 | 10.50 | 17.50 | 13.00 |
| 172316-4116 | NATURAL | 16           | KEY B      | 24.50 | 31.30 | 12.25 | 21.00 | 14.75 |

| 15 MICROINCH GOLD PLATING |         |              |            |       |       |       |       |       |
|---------------------------|---------|--------------|------------|-------|-------|-------|-------|-------|
| PART NO.                  | COLOR   | CIRCUIT SIZE | KEY OPTION | DIM A | DIM F | DIM C | DIM D | DIM E |
| 172316-3204               | BLACK   | 4            | KEY A      | 3.50  | 10.30 | 1.75  | 0.00  | 4.25  |
| 172316-3206               | BLACK   | 6            | KEY A      | 7.00  | 13.80 | 3.50  | 0.00  | 6.00  |
| 172316-3208               | BLACK   | 8            | KEY A      | 10.50 | 17.30 | 5.25  | 7.00  | 7.75  |
| 172316-3210               | BLACK   | 10           | KEY A      | 14.00 | 20.80 | 7.00  | 10.50 | 9.50  |
| 172316-3212               | BLACK   | 12           | KEY A      | 17.50 | 24.30 | 8.75  | 14.00 | 11.25 |
| 172316-3214               | BLACK   | 14           | KEY A      | 21.00 | 27.80 | 10.50 | 17.50 | 13.00 |
| 172316-3216               | BLACK   | 16           | KEY A      | 24.50 | 31.30 | 12.25 | 21.00 | 14.75 |
| 172316-4204               | NATURAL | 4            | KEY B      | 3.50  | 10.30 | 1.75  | 0.00  | 4.25  |
| 172316-4206               | NATURAL | 6            | KEY B      | 7.00  | 13.80 | 3.50  | 0.00  | 6.00  |
| 172316-4208               | NATURAL | 8            | KEY B      | 10.50 | 17.30 | 5.25  | 7.00  | 7.75  |
| 172316-4210               | NATURAL | 10           | KEY B      | 14.00 | 20.80 | 7.00  | 10.50 | 9.50  |
| 172316-4212               | NATURAL | 12           | KEY B      | 17.50 | 24.30 | 8.75  | 14.00 | 11.25 |
| 172316-4214               | NATURAL | 14           | KEY B      | 21.00 | 27.80 | 10.50 | 17.50 | 13.00 |
| 172316-4216               | NATURAL | 16           | KEY B      | 24.50 | 31.30 | 12.25 | 21.00 | 14.75 |

| 30 MICROINCH GOLD PLATING |         |              |            |       |       |       |       |       |
|---------------------------|---------|--------------|------------|-------|-------|-------|-------|-------|
| PART NO.                  | COLOR   | CIRCUIT SIZE | KEY OPTION | DIM A | DIM F | DIM C | DIM D | DIM E |
| 172316-3304               | BLACK   | 4            | KEY A      | 3.50  | 10.30 | 1.75  | 0.00  | 4.25  |
| 172316-3306               | BLACK   | 6            | KEY A      | 7.00  | 13.80 | 3.50  | 0.00  | 6.00  |
| 172316-3308               | BLACK   | 8            | KEY A      | 10.50 | 17.30 | 5.25  | 7.00  | 7.75  |
| 172316-3310               | BLACK   | 10           | KEY A      | 14.00 | 20.80 | 7.00  | 10.50 | 9.50  |
| 172316-3312               | BLACK   | 12           | KEY A      | 17.50 | 24.30 | 8.75  | 14.00 | 11.25 |
| 172316-3314               | BLACK   | 14           | KEY A      | 21.00 | 27.80 | 10.50 | 17.50 | 13.00 |
| 172316-3316               | BLACK   | 16           | KEY A      | 24.50 | 31.30 | 12.25 | 21.00 | 14.75 |
| 172316-4304               | NATURAL | 4            | KEY B      | 3.50  | 10.30 | 1.75  | 0.00  | 4.25  |
| 172316-4306               | NATURAL | 6            | KEY B      | 7.00  | 13.80 | 3.50  | 0.00  | 6.00  |
| 172316-4308               | NATURAL | 8            | KEY B      | 10.50 | 17.30 | 5.25  | 7.00  | 7.75  |
| 172316-4310               | NATURAL | 10           | KEY B      | 14.00 | 20.80 | 7.00  | 10.50 | 9.50  |
| 172316-4312               | NATURAL | 12           | KEY B      | 17.50 | 24.30 | 8.75  | 14.00 | 11.25 |
| 172316-4314               | NATURAL | 14           | KEY B      | 21.00 | 27.80 | 10.50 | 17.50 | 13.00 |
| 172316-4316               | NATURAL | 16           | KEY B      | 24.50 | 31.30 | 12.25 | 21.00 | 14.75 |


|                                          |     |                                                                                                                                               |  |                               |  |          |          |                 |          |              |   |
|------------------------------------------|-----|-----------------------------------------------------------------------------------------------------------------------------------------------|--|-------------------------------|--|----------|----------|-----------------|----------|--------------|---|
| <b>SYMBOLS</b>                           |     | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |  |                               |  |          |          |                 |          |              |   |
| DIMENSION UNITS                          |     | SCALE                                                                                                                                         |  | CURRENT REV DESC:             |  |          |          |                 |          |              |   |
| mm                                       |     | 5:1                                                                                                                                           |  |                               |  |          |          |                 |          |              |   |
| GENERAL TOLERANCES<br>(UNLESS SPECIFIED) |     |                                                                                                                                               |  |                               |  |          |          |                 |          |              |   |
| ANGULAR TOL    ±       °                 |     |                                                                                                                                               |  |                               |  |          |          |                 |          |              |   |
|                                          | = 0 |                                                                                                                                               |  |                               |  |          |          |                 |          |              |   |
|                                          | = 0 |                                                                                                                                               |  |                               |  |          |          |                 |          |              |   |
|                                          | = 0 |                                                                                                                                               |  |                               |  |          |          |                 |          |              |   |
|                                          | = 0 | 4 PLACES     ±                                                                                                                                |  | ULTRA-FIT DR R/A HEAD SN ASSY |  |          |          |                 |          |              |   |
|                                          | = 0 | 3 PLACES     ±                                                                                                                                |  |                               |  |          |          |                 |          |              |   |
|                                          | = 0 | 2 PLACES     ±     0.13                                                                                                                       |  |                               |  |          |          |                 |          |              |   |
|                                          | = 0 | 1 PLACE     ±     0.25                                                                                                                        |  | PRODUCT CUSTOMER DRAWING      |  |          |          |                 |          |              |   |
|                                          | = 0 | 0 PLACES     ±                                                                                                                                |  | DOCUMENT NUMBER               |  | DOC TYPE | DOC PART | REVISION        |          |              |   |
|                                          | = 0 | DRAFT WHERE APPLICABLE<br>MUST REMAIN<br>WITHIN DIMENSIONS                                                                                    |  | THIRD ANGLE PROJECTION        |  | DRAWING  | SERIES   | MATERIAL NUMBER | CUSTOMER | SHEET NUMBER |   |
|                                          | = 0 |                                                                                                                                               |  |                               |  | D-SIZE   | 172316   | 1723162000      | PSD      | 000          | E |
|                                          | = 0 |                                                                                                                                               |  |                               |  |          |          |                 |          | 2 OF 3       |   |






KEY A (BLACK)  
4CKT







6CKT



BLACK



KEY B (BLACK)



NATURAL

COLOR-POLARIZATION

| SYMBOLS                                                                                                                                                                                                                                                                                                                                               | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |  |       |  |                   |  |  |               |  |  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|--|-------|--|-------------------|--|--|---------------|--|--|
| <div><div><div><div></div></div></div><div><div><div></div></div></div><div><div><div></div></div></div><div><div><div></div></div></div><div><div><div></div></div></div><div><div><div></div></div></div><div><div><div></div></div></div><div><div><div></div></div></div><div><div><div></div></div></div><div><div><div></div></div></div></div> | DIMENSION UNITS                                                                                                                               |  | SCALE |  | CURRENT REV DESC: |  |  | molex         |  |  |
|                                                                                                                                                                                                                                                                                                                                                       | mm                                                                                                                                            |  | 5:1   |  |                   |  |  |               |  |  |
|                                                                                                                                                                                                                                                                                                                                                       | GENERAL TOLERANCES (UNLESS SPECIFIED)                                                                                                         |  |       |  |                   |  |  |               |  |  |
|                                                                                                                                                                                                                                                                                                                                                       | ANGULAR TOL    ±    °                                                                                                                         |  |       |  |                   |  |  |               |  |  |
|                                                                                                                                                                                                                                                                                                                                                       | 4 PLACES                                                                                                                                      |  | ±     |  |                   |  |  | EC NO: 762168 |  |  |
|                                                                                                                                                                                                                                                                                                                                                       | 3 PLACES                                                                                                                                      |  | ±     |  | DRWN: LEOW        |  |  |               |  |  |