

LOC	DIST	REVISIONS					
A1	-	P	LTR	DESCRIPTION	DATE	DWN	APVD
			E15	ECR-25-236150	04MAR2025	DK	FL
			E16	ECR-25-238808	02APR2025	DK	FL
			E17	ECR-25-240889	14APR2025	SP	FL
			E18	ECR-26-281247	02JUN2026	DK	FL

REMARKS/Bemerkungen

- 1

CAVITY SUITABLE FOR STANDARD TIMER CONTACTS LISTED IN
PROD.SPEC. 108-18049, ITEM 3.3.2
Kammer geeignet für Standard Timer Kontakte gelistet in
Prod. Spec. 108-18049, Punkt 3.3.2
- 2

CONTACT CAVITY NO.
Kontaktkammernummerierung
- 3

MATING STOP
Tiefenanschlag
- 4

AREA FOR TE LOGO ACC: TO SPEC 202-36
Bereich für TE Logo nach Spec. 202-36
- 5

POLARIZATION RIB POSITION "a" AND/OR "b"
Polarisierungsrippe Position "a" und/oder "b"
- 6

KEYING RIB POSITION "c" AND/OR "d"
Kodierrippe Position "c" und/oder "d"
- 6a

KEYING RIB POSITION "c" AND/OR "d" AT THE END WALLS OF THE HOUSING
Kodierrippe Position "c" und/oder "d" an den Gehäuseseiten
- 7

LOCKING LATCH
Rasthaken
- 8

TE PART NO (PN)
TE Bestell Nr. (PN)
- 9

DESIGN OF THE HOUSINGS ACC: TO RAST 5 STANDARD
Gehäuseausführung gemäß RAST 5 Vorgabe
- 10

GENERAL SUITABLE TAB HEADER SEE RAST 5 PERFORMANCE
Generell passende Flachsteckerwannen siehe RAST 5 Vorgabe
- 11

PACKAGING: BULK PACKAGING IN CORRUGATED BOX PN 740580-2
2 POS. 2500 PIECES PER BOX / 3 POS. 2000 PIECES PER BOX
Verpackung: Schüttgut in Versandkarton Pn 740580-2
2pol. 2500 Stück per Karton / 3pol. 2000 Stück per Karton
- 12

DIMENSION A, B C AND D SEE SHEET 2 OF 3
- 13

MATERIAL CORRESPONDS TO THE REQUIRMENT EN 60335
(INCL. GLOW WIRE TEST 750° WITHOUT FLAME)
Material entspricht den Anforderungen der EN 60335
(inkl. Glühdrahttest 750° ohne Flamme)
- 14

OPTIONAL RATIO NUMBER OF THE KEYING VERSION, MOLDED OR INKJET PRINTED. SEE SHEET 2
Optionale Kodierungskennnummer, mit Tintenstrahldrucker aufgebracht oder spritzgegossen, siehe Blatt 2
- 15





PRELIMINARY- NOT RELEASED FOR PRODUCTION
- 16

ONLY FOR 9-1241961-7, DIMENSION 3.2 -0.2
- 17

DOUBLE SOURCE RESIN: ALTERNATIVE RESIN UNDER APPROVAL
- 18

ALLOWED 25±0.2 FOR P/Ns X-2364739-X.
- 19


ONLY FOR 8-1241961-7, SPECIAL VERSION WITH RIBS ON SURFACE AND ENHANCED LATCH



SECTION A-A / Schnitt A-A

SECTION B-B / Schnitt B-B


5 POSITION
STD. TIMER MARK-II HOUSING




SCALE 2:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN Kishor M	18-10-07	 TE Connectivity								
DIMENSIONS:		CHK K.Munz	18-10-07									
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD T.Klenner	18-10-07	NAME		STANDARD TIMER HSG. RAST 5 MARK II						
		PRODUCT SPEC		Standard Timer Gehäuse RAST 5 Mark II								
		APPLICATION SPEC										
		SIZE		CAGE CODE	DRAWING NO	RESTRICTED TO						
		MATERIAL		WEIGHT								
SEE TABLES, SHEETS PAGE 2 AND 3 OF 4	FINISH	Customer Drawing		SCALE		5:1	SHEET	1	OF	4	REV	E18


FOR 2 POS. AND 3 POS.




KEY LAYOUT DESCRIPTION



SECTION B-B/Schnitt B-B

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWG Kishor M 18-10-07 CHK K. Muniz 18-10-07 APP'D T. Klenner 18-10-07		 TE Connectivity	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±0.2 1 PLC ±0.2 3 PLC ±0.2 4 PLC ±- 4 PLC ANGLES ±°		NAME STANDARD TIMER HSG. RAST 5 MARK II Standard Timer Gehäuse RAST 5 Mark II	
		PRODUCT SPEC 10B-10049 APPLICATION SPEC		SIZE A 1	
MATERIAL SEE TABLES, SHEETS PAGE 2 AND 3 OF 4		WEIGHT - Customer Drawing		CASE CODE 00779	
FINISH - - -		DRAWING NO C=1241961		RESTRICTED TO - - -	
		SCALE 5:1		SHEET 2 OF 4	
		REV 1			

LOC	DIST	REVISIONS				
P	LTR	DESCRIPTION			DATE	OWN
		SEE SHEET-01				APVD



2364739-5	5	4	0.5	25	20	PA66  	BLUE
2364739-4	4			20	15		BLUE
2-2364739-3	3			15	10		BLUE
1-2364739-3				15	10		BLUE
2364739-3				15	10		BLUE
1-2364739-2	2			10	5		BLUE
2364739-2				10	5		BLUE
3-2364739-2				10	5		BLUE
2-2364739-2	2			10	5		BLUE

8-1241961-7	10	3	4 or 6	1	15	10	PA66 13	NATURAL
5-1241961-7	3	3			15	10		NATURAL
1-1241961-9	3	3			15	10		NATURAL
7-1241961-7	3	3			15	10		NATURAL

15 2322164-1	4	4	0.5	20	15	PA66	13	NATURAL
--------------	---	---	-----	----	----	------	----	---------

6-2178575-7	3	4	0.5	15	10	PA6 GF15	13	NATURAL
-------------	---	---	-----	----	----	----------	----	---------

3-2178412-7	3	4 or 6	1	15	10	UL94 V0 & GW T 750 NF		NATURAL
4-2178412-7	3			15	10			NATURAL
8-2178412-2	2			10	5			NATURAL

2322917-4	4	4	0.5	20	15	PA66 UL94 V0 & GW T 750 NF 13	NATURAL
2322917-2	2			10	5		NATURAL
2315717-1	2			10	5		NATURAL
2315717-2	2			10	5		NATURAL
2315717-3	2	4	0.5	10	5		NATURAL
1-2315717-2	2			10	5		NATURAL
2-2315717-2	2			10	5		NATURAL
2315717-4	4			20	15		NATURAL
2315717-5	4			20	15		NATURAL
2315717-6	3			15	10		NATURAL
2315717-7	3			15	10		NATURAL
1-2315717-3	3			15	10		NATURAL
PART NO.	POS	DIM C 12	DIM D 12	DIMA 12	DIM B 12	MATERIAL	COLOUR

8

7

6

5

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT 2011

ALL RIGHTS RESERVED.

LOC

DIST

P

LYR

REVISIONS

DESCRIPTION

DATE

DWN

APVD

SEE SHEET-01

2.00

0-969484-1

2.14

1-969484-1
2315717-2

2.13

2-969484-1

2.12

3-969484-1
OBSOLETE

2.11

4-969484-1

2.10

5-969484-1
OBSOLETE

2.09

6-969484-1

2.07

7-969484-1
OBSOLETE

2.06

8-969484-1

2.04

9-969484-1
OBSOLETE

2.03

0-969484-2

2.02

1-969484-2
OBSOLETE

2.08

2-969484-2

2.21

3-969484-2

2.99

4-969484-2
2315717-1

2.20

5-969484-2
2-2364739-2

2.19

6-969484-2

2.18

7-969484-2

2.17

8-969484-2
2315717-3

2.16

9-969484-2

2.31

0-969484-3

2.15

1-969484-3
OBSOLETE

2.05

2-969484-3
OBSOLETE

2.30

3-969484-3
OBSOLETE

Ohne/None

4-969484-3

Ohne/None

5-969484-3

Ohne/None

6-969484-3

Ohne/None

7-969484-3
OBSOLETE

Ohne/None

5-1241961-2

Ohne/None

0-1241961-1

PA6

2-1241961-2

PA6

3-1241961-2

PA6

6-1241961-2
2364739-2

PA6

7-1241961-2
2-2315717-2

PA6

8-1241961-2
8-2178412-2
15

PA6

9-1241961-2

PA6

0-1241961-3
1-2315717-2

PA6

3-1241961-3
OBSOLETE

PA6

4-1241961-3

PA6

5-1241961-3

PA6

6-1241961-3

PA6

7-1241961-3
1-2364739-2
2178571-2
15

PA6

6-1241983-2

PA6

8-1241983-2

PA6

5-1241983-3

0-1241983-2

1-1241983-2

2-1241983-2

3-1241961-1

8-1241961-3

4-1955422-3

9-1955506-2

0-1955422-1

PRELIMINARY

3.00

0-969484-6
OBSOLETE

3.38

1-969484-6
OBSOLETE

3.18

2-969484-6

3.37

3-969484-6

3.35

4-969484-6
OBSOLETE

3.33

5-969484-6
OBSOLETE

3.32

6-969484-6
OBSOLETE

3.20

7-969484-6

3.10

8-969484-6

3.09

9-969484-6

3.08

0-969484-7
OBSOLETE

3.39

1-969484-7

3.31

2-969484-7
OBSOLETE

3.40

3-969484-7

3.99

4-969484-7
OBSOLETE

Ohne/NONE

5-969484-7

3.45

6-969484-7
OBSOLETE

3.47

7-969484-7
OBSOLETE

3.65

8-969484-7

3.48

9-969484-7
OBSOLETE

3.66

0-969484-8

Ohne/NONE

1-969484-8
OBSOLETE

Ohne/NONE

2-969484-8

3.09

9-1241961-9

3.08

3-1241961-8

3.39

9-969484-9

3.31

4-1241961-8

3.40

5-1241961-8

PA6

0-1241961-6

PA6

2-1241961-7
5-1241961-7
2364739-3
2178571-1
15
8-1241961-7
19

PA6

1-1241961-8
4-2178571-3
19
2-2364739-3

PA6

2-1241961-8
7-1241961-7

6-1241961-8

7-1241961-8

1-1241961-7

8-1241961-8

1-2315717-3

2-1241817-3

0-1241961-8

3-1241961-7

4-1241961-7

5-1955422-7

6-1241961-7

1-1241961-9

1-1241961-9

0-1955422-6

6-2178575-7

2345753-1

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

<