






- NOTES:
- MATERIAL:
HSG: LCP, GLASS-FILLED, UL94V-0, COLOR: BLACK
CAP: NYLON, GLASS-FILLED, UL94V-0, COLOR: BLACK
PIN: 0.64MM SQ, COPPER ALLOY
 - PLATING TYPE:
(1) 0.38µm MIN. GOLD PLATE ON CONTACT AND 2.00µm MIN. TIN ON SOLDER TAIL OVER 1.25µm MIN. NICKEL OVERALL.
(2) 0.75µm MIN. GOLD PLATE ON CONTACT AND 2.00µm MIN. TIN ON SOLDER TAIL OVER 1.25µm MIN. NICKEL OVERALL.
(3) 2.50µm MIN. BRIGHT TIN OVERALL 1.25µm MIN. NICKEL OVERALL
(4) 2.50µm MIN. MATTE TIN OVERALL (D12) 1.25µm MIN. NICKEL OVERALL
 - PACKAGING TYPE: SEE TABLE
 - PCB THICKNESS 1.60+/-0.10mm
 - PRODUCT SPECIFICATION: PS-87920-019
 - WAFER TO BE FLAT WITHIN 0.003 mm/mm
 - BEND DEPRESSION IS ACCEPTED SO LONG AS IT DOES NOT AFFECT THE OVERALL COPLANARITY OF TAIL
 - COPLANARITY IS TO BE MEASURED BY RESTING THE SOLDER TAIL ON A FLAT SURFACE
 - CAP LOCATION IS CENTERED ALONG THE MATING ENDS AS SHOWN. TOP SURFACE OF CAP TO BE FLAT FOR THE PURPOSE OF PICK & PLACE BY VACUUM SUCTION NOZZLE
 - IRREGULAR CIRCUIT CUTOFF WITHIN BREAKAWAY SECTION IS PERMISSIBLE. CUTTING OR CHIPPING OF THE MAIN BODY IS NOT ACCEPTABLE
 - PARTS ARE NOT STACKABLE ON 2.54 CENTER
 - COPLANARITY FOR SIZES UP TO 40 IS 0.15MM.
 - THE ABOVE CKT 14 IS FOR ILLUSTRATION PURPOSE ONLY
 - TUBE LENGTH IS 560MM PER STANDARD
 - PACKAGING SPECIFICATION: TUBE: PK-89990-478
TAPE & REEL : PK-89990-479
TRAY : PK-89990-489



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex CUSTOM HEADER 2.54MM PITCH DUAL ROW HEADER SINGLE WAFER SMT			
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 762903 DRWN: SUAIFR 2023/09/14 CHK'D: SUAIFR 2023/09/15 APPR: MRAMAKRISHNA 2023/09/15 INITIAL REVISION: DRWN: SKLIM01 2006/02/09 APPR: MLONG 2010/02/08				PRODUCT CUSTOMER DRAWING			
		MM	INCH								
4 PLACES	±		±								
3 PLACES	±		±								
2 PLACES	±	0.2	±								
1 PLACE	±		±								
0 PLACES	±		±	DOCUMENT NUMBER SD-87920-020				DOC TYPE	DOC PART	REVISION	
ANGULAR TOL		± 3.0 °						PSD	001	D12	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION	DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER		SHEET NUMBER	
					A3-SIZE	87920	SEE TABLE	GENERAL MARKET		1 OF 11	






FORMAT: Met-legal
REVISION: E

11

PART PACKED IN
TAPE & REEL
ORIENTATION

-
- Diagram illustrating the peeling process. The peeling direction is indicated by an arrow pointing left, labeled "PEEL OFF DIRECTION". The pull out direction is indicated by an arrow pointing right, labeled "PULL OUT DIRECTION". The peeling angle is shown as 15° MAX.

- | | | | | | | | | | | | | | | | |
|---|----|-------|---|---|--|--------------------|------------------|-----------------|--|------------------------------|--|----------------------------|--|-------------------------|--|
| THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION | | | | | | | | | | | | | | | |
| DIMENSION UNITS | | SCALE | | CURRENT REV DESC: | | | <div>molex</div> | | | | | | | | |
| mm | | NTS | | | | | | | | | | | | | |
| GENERAL TOLERANCES
(UNLESS SPECIFIED) | | | | CUSTOM HEADER
2.54MM PITCH DUAL ROW HEADER SINGLE WAFER
SMT | | | | | | | | | | | |
| | MM | INCH | | | | | | | | | | | | | |
| 4 PLACES | ± | | ± | EC NO: 762903
DRWN: SUAIFR 2023/09/14
CHK'D: SUAIFR 2023/09/15
APPR: MRAMAKRISHNA 2023/09/15 | | | | | | | | | | | |
| 3 PLACES | ± | | ± | | | | | | | | | | | | |
| 2 PLACES | ± | 0.2 | ± | PRODUCT CUSTOMER DRAWING | | | | | | | | | | | |
| 1 PLACE | ± | | ± | | | | | | | | | | | | |
| 0 PLACES | ± | | ± | DOCUMENT NUMBER
SD-87920-020 | | | | | | | | | | | |
| ANGULAR TOL ± 3.0 ° | | | | | | | | | | DOC TYPE
PSD | | DOC PART
001 | | REVISION
D12 | |
| DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS | | | | THIRD ANGLE PROJECTION
 | | DRAWING
A3-SIZE | | SERIES
87920 | | MATERIAL NUMBER
SEE TABLE | | CUSTOMER
GENERAL MARKET | | SHEET NUMBER
4 OF 11 | |

FORMAT: Met-legal
REVISION: E

9

8

7

6


5

4

3


2

1




THIS TYPE OF CARRIER TAPE IS FOR CKT SIZE 12, 14, 16 AND 20


CKT	F	P1	So	W
12	14.20	12.00	28.40	32.00
14	14.20	12.00	28.40	32.00
16	14.20	12.00	28.40	32.00
20	20.20	12.00	40.40	44.00



NOTES:
1. LEADER AND TRAILER TAPE





2. PEELING OFF FORCE OF THE TOP TAPE: 20-80gf.
(PEELING DIRECTION AS SHOWN IN FOLLOWING FIGURE)



3. PACKAGING STANDARD IS AS PER EIA-481.
4. TAPE & REEL QUANTITY = 440PCS/REEL
5. THE TAPE IS TREATED FOR ANTI-STATIC.


PART PACKED IN
TAPE & REEL
ORIENTATION




THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex							
mm		NTS													
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 762903 DRWN: SUAIFR 2023/09/14 CHK'D: SUAIFR 2023/09/15 APPR: MRAMAKRISHNA 2023/09/15 INITIAL REVISION: DRWN: SKLIM01 2006/02/09 APPR: MLONG 2010/02/08								CUSTOM HEADER 2.54MM PITCH DUAL ROW HEADER SINGLE WAFER SMT			
4 PLACES	±	±													
3 PLACES	±	±													
2 PLACES	±	0.2 ±													
1 PLACE	±	±													
0 PLACES	±	±													
ANGULAR TOL ± 3.0 °				PRODUCT CUSTOMER DRAWING											
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS															
THIRD ANGLE PROJECTION 				DRAWING A3-SIZE		SERIES 87920		DOCUMENT NUMBER SD-87920-020		DOC TYPE PSD	DOC PART 001	REVISION D12			
				SHEET NUMBER 6 OF 11											

DOCUMENT STATUS	P1	RELEASE DATE	2023/09/15	12:06:16
-----------------	----	--------------	------------	----------


THIS TYPE OF CARRIER TAPE IS FOR CKT SIZE 40



NOTES:
1. LEADER AND TRAILER TAPE



2. PEELING OFF FORCE OF THE TOP TAPE: 20-80gf.
(PEELING DIRECTION AS SHOWN IN FOLLOWING FIGURE)



- 3. PACKAGING STANDARD IS AS PER EIA-481.
- 4. TAPE & REEL QUANTITY = 250PCS/REEL
- 5. THE TAPE IS TREATED FOR ANTI-STATIC.

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex			
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 762903 DRWN: SUAIFR CHK'D: SUAIFR APPR: MRAMAKRISHNA INITIAL REVISION: DRWN: SKLIM01 APPR: MLONG				CUSTOM HEADER 2.54MM PITCH DUAL ROW HEADER SINGLE WAFER SMT			
4 PLACES		±	±					2023/09/14			
3 PLACES		±	±					2023/09/15			
2 PLACES		±	0.2					2023/09/15			
1 PLACE		±	±								
0 PLACES		±	±			DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION	
ANGULAR TOL		±	3.0 °	2006/02/09		SD-87920-020		PSD	001	D12	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER	SHEET NUMBER	
						A3-SIZE	87920	SEE TABLE	GENERAL MARKET	7 OF 11	

10	9	8	7	6	5	4	3	2	1										

10	9	8	7	6	5	4	3	2	1																																																																																																																																																																																																																																																																																																																					
<table><tr><th colspan="3">PART NUMBER IN PACKAGING OPTION</th><th rowspan="2">CKT SIZE</th><th rowspan="2">PEG</th><th rowspan="2">PLATE OPT.</th><th colspan="6">DIMENSION</th></tr><tr><th>TAPE & REEL WITH CAP</th><th>TUBE WITHOUT CAP</th><th>TUBE WITH CAP</th><th>A</th><th>B</th><th>C</th><th>F</th><th>G</th><th>M</th></tr><tr><td>-----</td><td>87920-9224</td><td>87920-9227</td><td>22</td><td>N</td><td>1</td><td>27.94</td><td>25.40</td><td>----</td><td>9.66</td><td>10.66</td><td>6.10</td></tr><tr><td>-----</td><td>87920-9225</td><td>87920-9228</td><td>22</td><td>N</td><td>2</td><td>27.94</td><td>25.40</td><td>----</td><td>9.66</td><td>10.66</td><td>6.10</td></tr><tr><td>-----</td><td>87920-9226</td><td>87920-9229</td><td>22</td><td>N</td><td>3</td><td>27.94</td><td>25.40</td><td>----</td><td>9.66</td><td>10.66</td><td>6.10</td></tr><tr><td>-----</td><td>87920-9230</td><td>87920-9231</td><td>22</td><td>N</td><td>4</td><td>27.94</td><td>25.40</td><td>----</td><td>9.66</td><td>10.66</td><td>6.10</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>-----</td><td>87920-9244</td><td>87920-9247</td><td>24</td><td>N</td><td>1</td><td>30.48</td><td>27.94</td><td>----</td><td>9.66</td><td>10.66</td><td>6.10</td></tr><tr><td>-----</td><td>87920-9245</td><td>87920-9248</td><td>24</td><td>N</td><td>2</td><td>30.48</td><td>27.94</td><td>----</td><td>9.66</td><td>10.66</td><td>6.10</td></tr><tr><td>-----</td><td>87920-9246</td><td>87920-9249</td><td>24</td><td>N</td><td>3</td><td>30.48</td><td>27.94</td><td>----</td><td>9.66</td><td>10.66</td><td>6.10</td></tr><tr><td>-----</td><td>87920-9250</td><td>87920-9251</td><td>24</td><td>N</td><td>4</td><td>30.48</td><td>27.94</td><td>----</td><td>9.66</td><td>10.66</td><td>6.10</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>-----</td><td>87920-9264</td><td>87920-9267</td><td>26</td><td>N</td><td>1</td><td>33.02</td><td>30.48</td><td>----</td><td>9.66</td><td>10.66</td><td>6.10</td></tr><tr><td>-----</td><td>87920-9265</td><td>87920-9268</td><td>26</td><td>N</td><td>2</td><td>33.02</td><td>30.48</td><td>----</td><td>9.66</td><td>10.66</td><td>6.10</td></tr><tr><td>-----</td><td>87920-9266</td><td>87920-9269</td><td>26</td><td>N</td><td>3</td><td>33.02</td><td>30.48</td><td>----</td><td>9.66</td><td>10.66</td><td>6.10</td></tr><tr><td>-----</td><td>87920-9270</td><td>87920-9271</td><td>26</td><td>N</td><td>4</td><td>33.02</td><td>30.48</td><td>----</td><td>9.66</td><td>10.66</td><td>6.10</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>-----</td><td>87920-9284</td><td>87920-9287</td><td>28</td><td>N</td><td>1</td><td>35.56</td><td>33.02</td><td>----</td><td>9.66</td><td>10.66</td><td>6.10</td></tr><tr><td>-----</td><td>87920-9285</td><td>87920-9288</td><td>28</td><td>N</td><td>2</td><td>35.56</td><td>33.02</td><td>----</td><td>9.66</td><td>10.66</td><td>6.10</td></tr><tr><td>-----</td><td>87920-9286</td><td>87920-9289</td><td>28</td><td>N</td><td>3</td><td>35.56</td><td>33.02</td><td>----</td><td>9.66</td><td>10.66</td><td>6.10</td></tr><tr><td>-----</td><td>87920-9290</td><td>87920-9291</td><td>28</td><td>N</td><td>4</td><td>35.56</td><td>33.02</td><td>----</td><td>9.66</td><td>10.66</td><td>6.10</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>-----</td><td>87920-9304</td><td>87920-9307</td><td>30</td><td>N</td><td>1</td><td>38.10</td><td>35.56</td><td>----</td><td>9.66</td><td>10.66</td><td>6.10</td></tr><tr><td>-----</td><td>87920-9305</td><td>87920-9308</td><td>30</td><td>N</td><td>2</td><td>38.10</td><td>35.56</td><td>----</td><td>9.66</td><td>10.66</td><td>6.10</td></tr><tr><td>-----</td><td>87920-9306</td><td>87920-9309</td><td>30</td><td>N</td><td>3</td><td>38.10</td><td>35.56</td><td>----</td><td>9.66</td><td>10.66</td><td>6.10</td></tr><tr><td>-----</td><td>87920-9310</td><td>87920-9319</td><td>30</td><td>N</td><td>4</td><td>38.10</td><td>35.56</td><td>----</td><td>9.66</td><td>10.66</td><td>6.10</td></tr></table>										PART NUMBER IN PACKAGING OPTION			CKT SIZE	PEG	PLATE OPT.	DIMENSION						TAPE & REEL WITH CAP	TUBE WITHOUT CAP	TUBE WITH CAP	A	B	C	F	G	M	-----	87920-9224	87920-9227	22	N	1	27.94	25.40	----	9.66	10.66	6.10	-----	87920-9225	87920-9228	22	N	2	27.94	25.40	----	9.66	10.66	6.10	-----	87920-9226	87920-9229	22	N	3	27.94	25.40	----	9.66	10.66	6.10	-----	87920-9230	87920-9231	22	N	4	27.94	25.40	----	9.66	10.66	6.10													-----	87920-9244	87920-9247	24	N	1	30.48	27.94	----	9.66	10.66	6.10	-----	87920-9245	87920-9248	24	N	2	30.48	27.94	----	9.66	10.66	6.10	-----	87920-9246	87920-9249	24	N	3	30.48	27.94	----	9.66	10.66	6.10	-----	87920-9250	87920-9251	24	N	4	30.48	27.94	----	9.66	10.66	6.10													-----	87920-9264	87920-9267	26	N	1	33.02	30.48	----	9.66	10.66	6.10	-----	87920-9265	87920-9268	26	N	2	33.02	30.48	----	9.66	10.66	6.10	-----	87920-9266	87920-9269	26	N	3	33.02	30.48	----	9.66	10.66	6.10	-----	87920-9270	87920-9271	26	N	4	33.02	30.48	----	9.66	10.66	6.10													-----	87920-9284	87920-9287	28	N	1	35.56	33.02	----	9.66	10.66	6.10	-----	87920-9285	87920-9288	28	N	2	35.56	33.02	----	9.66	10.66	6.10	-----	87920-9286	87920-9289	28	N	3	35.56	33.02	----	9.66	10.66	6.10	-----	87920-9290	87920-9291	28	N	4	35.56	33.02	----	9.66	10.66	6.10													-----	87920-9304	87920-9307	30	N	1	38.10	35.56	----	9.66	10.66	6.10	-----	87920-9305	87920-9308	30	N	2	38.10	35.56	----	9.66	10.66	6.10	-----	87920-9306	87920-9309	30	N	3	38.10	35.56	----	9.66	10.66	6.10	-----	87920-9310	87920-9319	30	N	4	38.10	35.56	----	9.66	10.66	6.10
PART NUMBER IN PACKAGING OPTION			CKT SIZE	PEG	PLATE OPT.	DIMENSION																																																																																																																																																																																																																																																																																																																								
TAPE & REEL WITH CAP	TUBE WITHOUT CAP	TUBE WITH CAP				A	B	C	F	G	M																																																																																																																																																																																																																																																																																																																			
-----	87920-9224	87920-9227	22	N	1	27.94	25.40	----	9.66	10.66	6.10																																																																																																																																																																																																																																																																																																																			
-----	87920-9225	87920-9228	22	N	2	27.94	25.40	----	9.66	10.66	6.10																																																																																																																																																																																																																																																																																																																			
-----	87920-9226	87920-9229	22	N	3	27.94	25.40	----	9.66	10.66	6.10																																																																																																																																																																																																																																																																																																																			
-----	87920-9230	87920-9231	22	N	4	27.94	25.40	----	9.66	10.66	6.10																																																																																																																																																																																																																																																																																																																			
-----	87920-9244	87920-9247	24	N	1	30.48	27.94	----	9.66	10.66	6.10																																																																																																																																																																																																																																																																																																																			
-----	87920-9245	87920-9248	24	N	2	30.48	27.94	----	9.66	10.66	6.10																																																																																																																																																																																																																																																																																																																			
-----	87920-9246	87920-9249	24	N	3	30.48	27.94	----	9.66	10.66	6.10																																																																																																																																																																																																																																																																																																																			
-----	87920-9250	87920-9251	24	N	4	30.48	27.94	----	9.66	10.66	6.10																																																																																																																																																																																																																																																																																																																			
-----	87920-9264	87920-9267	26	N	1	33.02	30.48	----	9.66	10.66	6.10																																																																																																																																																																																																																																																																																																																			
-----	87920-9265	87920-9268	26	N	2	33.02	30.48	----	9.66	10.66	6.10																																																																																																																																																																																																																																																																																																																			
-----	87920-9266	87920-9269	26	N	3	33.02	30.48	----	9.66	10.66	6.10																																																																																																																																																																																																																																																																																																																			
-----	87920-9270	87920-9271	26	N	4	33.02	30.48	----	9.66	10.66	6.10																																																																																																																																																																																																																																																																																																																			
-----	87920-9284	87920-9287	28	N	1	35.56	33.02	----	9.66	10.66	6.10																																																																																																																																																																																																																																																																																																																			
-----	87920-9285	87920-9288	28	N	2	35.56	33.02	----	9.66	10.66	6.10																																																																																																																																																																																																																																																																																																																			
-----	87920-9286	87920-9289	28	N	3	35.56	33.02	----	9.66	10.66	6.10																																																																																																																																																																																																																																																																																																																			
-----	87920-9290	87920-9291	28	N	4	35.56	33.02	----	9.66	10.66	6.10																																																																																																																																																																																																																																																																																																																			
-----	87920-9304	87920-9307	30	N	1	38.10	35.56	----	9.66	10.66	6.10																																																																																																																																																																																																																																																																																																																			
-----	87920-9305	87920-9308	30	N	2	38.10	35.56	----	9.66	10.66	6.10																																																																																																																																																																																																																																																																																																																			
-----	87920-9306	87920-9309	30	N	3	38.10	35.56	----	9.66	10.66	6.10																																																																																																																																																																																																																																																																																																																			
-----	87920-9310	87920-9319	30	N	4	38.10	35.56	----	9.66	10.66	6.10																																																																																																																																																																																																																																																																																																																			
<table><tr><td colspan="10">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr><tr><td colspan="2">DIMENSION UNITS</td><td colspan="2">SCALE</td><td colspan="4" rowspan="4">CURRENT REV DESC:</td><td colspan="4" rowspan="3"> molex CUSTOM HEADER 2.54MM PITCH DUAL ROW HEADER SINGLE WAFER SMT </td></tr><tr><td colspan="2">mm</td><td colspan="2">NTS</td></tr><tr><td colspan="4">GENERAL TOLERANCES (UNLESS SPECIFIED)</td></tr><tr><td></td><td>MM</td><td></td><td>INCH</td></tr><tr><td>4 PLACES</td><td>±</td><td></td><td>±</td><td colspan="4" rowspan="5">EC NO: 762903 DRWN: SUAIFR 2023/09/14 CHK'D: SUAIFR 2023/09/15 APPR: MRAMAKRISHNA 2023/09/15 INITIAL REVISION: DRWN: SKLIM01 2006/02/09 APPR: MLONG 2010/02/08</td><td colspan="2">DOCUMENT NUMBER</td><td>DOC TYPE</td><td>DOC PART</td><td>REVISION</td></tr><tr><td>3 PLACES</td><td>±</td><td></td><td>±</td><td colspan="2">SD-87920-020</td><td>PSD</td><td>001</td><td>D12</td></tr><tr><td>2 PLACES</td><td>±</td><td>0.2</td><td>±</td><td colspan="2">SEE TABLE</td><td colspan="3">GENERAL MARKET</td></tr><tr><td>1 PLACE</td><td>±</td><td></td><td>±</td><td colspan="2">A3-SIZE</td><td colspan="3">87920</td></tr><tr><td>0 PLACES</td><td>±</td><td></td><td>±</td><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">THIRD ANGLE PROJECTION</td><td>DRAWING</td><td>SERIES</td><td>MATERIAL NUMBER</td><td>CUSTOMER</td><td>SHEET NUMBER</td></tr><tr><td colspan="4"></td><td colspan="2"></td><td colspan="2">A3-SIZE</td><td colspan="2">87920</td><td colspan="2">SEE TABLE</td><td>GENERAL MARKET</td><td>10 OF 11</td></tr></table>										THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex CUSTOM HEADER 2.54MM PITCH DUAL ROW HEADER SINGLE WAFER SMT				mm		NTS		GENERAL TOLERANCES (UNLESS SPECIFIED)					MM		INCH	4 PLACES	±		±	EC NO: 762903 DRWN: SUAIFR 2023/09/14 CHK'D: SUAIFR 2023/09/15 APPR: MRAMAKRISHNA 2023/09/15 INITIAL REVISION: DRWN: SKLIM01 2006/02/09 APPR: MLONG 2010/02/08				DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION	3 PLACES	±		±	SD-87920-020		PSD	001	D12	2 PLACES	±	0.2	±	SEE TABLE		GENERAL MARKET			1 PLACE	±		±	A3-SIZE		87920			0 PLACES	±		±	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER	SHEET NUMBER							A3-SIZE		87920		SEE TABLE		GENERAL MARKET	10 OF 11																																																																																																																																																																																																																
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																																																																																																																																																																																																																																																														
DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex CUSTOM HEADER 2.54MM PITCH DUAL ROW HEADER SINGLE WAFER SMT																																																																																																																																																																																																																																																																																																																						
mm		NTS																																																																																																																																																																																																																																																																																																																												
GENERAL TOLERANCES (UNLESS SPECIFIED)																																																																																																																																																																																																																																																																																																																														
	MM		INCH																																																																																																																																																																																																																																																																																																																											
4 PLACES	±		±	EC NO: 762903 DRWN: SUAIFR 2023/09/14 CHK'D: SUAIFR 2023/09/15 APPR: MRAMAKRISHNA 2023/09/15 INITIAL REVISION: DRWN: SKLIM01 2006/02/09 APPR: MLONG 2010/02/08				DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION																																																																																																																																																																																																																																																																																																																		
3 PLACES	±		±					SD-87920-020		PSD	001	D12																																																																																																																																																																																																																																																																																																																		
2 PLACES	±	0.2	±					SEE TABLE		GENERAL MARKET																																																																																																																																																																																																																																																																																																																				
1 PLACE	±		±					A3-SIZE		87920																																																																																																																																																																																																																																																																																																																				
0 PLACES	±		±					DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER	SHEET NUMBER																																																																																																																																																																																																																																																																																																														
						A3-SIZE		87920		SEE TABLE		GENERAL MARKET	10 OF 11																																																																																																																																																																																																																																																																																																																	
<table><tr><td>DOCUMENT STATUS</td><td>P1</td><td>RELEASE DATE</td><td>2023/09/15</td><td>12:06:16</td></tr><tr><td colspan="2">9</td><td colspan="2">8</td><td>7</td></tr><tr><td colspan="2"></td><td colspan="2"></td><td>6</td></tr><tr><td colspan="2"></td><td colspan="2"></td><td>5</td></tr><tr><td colspan="2"></td><td colspan="2"></td><td>4</td></tr><tr><td colspan="2"></td><td colspan="2"></td><td>3</td></tr><tr><td colspan="2"></td><td colspan="2"></td><td>2</td></tr><tr><td colspan="2"></td><td colspan="2"></td><td>1</td></tr></table>										DOCUMENT STATUS	P1	RELEASE DATE	2023/09/15	12:06:16	9		8		7					6					5					4					3					2					1																																																																																																																																																																																																																																																																													
DOCUMENT STATUS	P1	RELEASE DATE	2023/09/15	12:06:16																																																																																																																																																																																																																																																																																																																										
9		8		7																																																																																																																																																																																																																																																																																																																										
				6																																																																																																																																																																																																																																																																																																																										
				5																																																																																																																																																																																																																																																																																																																										
				4																																																																																																																																																																																																																																																																																																																										
				3																																																																																																																																																																																																																																																																																																																										
				2																																																																																																																																																																																																																																																																																																																										
				1																																																																																																																																																																																																																																																																																																																										

