












NOTES:

1. MATERIAL:
HOUSING LCP, UL94V-0, GLOW WIRE CAPABLE PER IEC-60335-1 5TH EDITION, COLOR: SEE CHART.
TERMINAL: HIGH CONDUCTIVITY COPPER.
2. TERMINAL PLATING:
(TIN) 1.52 MICROMETER MIN (60 MICROINCH MIN) REFLOWED MATTE TIN OVER
1.27 MICROMETER MIN (50 MICROINCH MIN) MIN NICKEL OVERALL.
(15 GOLD) 0.38 MICROMETER MIN (15 MICROINCH MIN) SELECTIVE GOLD ON CONTACT AREA
WITH 2.54 MICROMETER MIN (100 MICROINCHES MIN) SELECTIVE TIN ON SOLDER AREA
BOTH OVER 1.27 MICROMETER MIN (50 MICROINCHES MIN) NICKEL OVERALL.
(30 GOLD) 0.76 MICROMETER MIN (30 MICROINCH MIN) SELECTIVE GOLD ON CONTACT AREA
WITH 2.54 MICROMETER MIN (100 MICROINCHES MIN) SELECTIVE TIN ON SOLDER AREA
BOTH OVER 1.27 MICROMETER MIN (50 MICROINCHES MIN) NICKEL OVERALL.
3. PRODUCT SPECIFICATION: 1720631000-PS.
4. PACKAGING SPECIFICATION: SEE TABLE.
5. PART MATES WITH MOLEX PART NUMBER 200456 SERIES.
6. APPLICATION SPECIFICATION: 768232000-AS.
7. PARTS CONFORM TO CLASS "B" REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002.
8. TO AVOID INTERFERENCE BETWEEN RECEPTACLE AND PCB, HEADER MUST BE PLACED WITHIN 12.00MM MAX FROM EDGE OF PCB.


THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex	
mm		NTS							
GENERAL TOLERANCES (UNLESS SPECIFIED)				MEGA-FIT S/R HEADER ASSEMBLY(R/A)					
ANGULAR TOL ± 3.0°									
4 PLACES		±							
3 PLACES		±							
2 PLACES		± 0.4							
1 PLACE		± 0.5							
0 PLACES		±							
EC NO: 850632 DRWN: JERRYW8 2026/03/09 CHK'D: XQZHANG 2026/03/25 APPR: XQZHANG 2026/03/25				PRODUCT CUSTOMER DRAWING					
				DOCUMENT NUMBER		DOC TYPE		DOC PART	
INITIAL REVISION: DRWN: YXZHENG 2016/09/22 APPR: YXZHENG 2018/08/06				2002412000		PSD		000 E2	
				MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES	
				A3-SIZE		200241		SEE TABLE	
				GENERAL MARKET		1 OF 3			




2CKT




3CKT




4CKT




5CKT





6CKT



7CKT



8CKT



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																	
DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex									
mm		NTS															
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 850632 DRWN: JERRYW8 CHK'D: XQZHANG APPR: XQZHANG INITIAL REVISION: DRWN: YXZHENG APPR: YXZHENG								MEGA-FIT S/R HEADER ASSEMBLY(R/A)					
ANGULAR TOL ± 3.0°								PRODUCT CUSTOMER DRAWING									
4 PLACES		±						DOCUMENT NUMBER				DOC TYPE		DOC PART		REVISION	
3 PLACES		±						2002412000				PSD		000		E2	
2 PLACES		± 0.4						2016/09/22				SHEET NUMBER		2 OF 3			
1 PLACE		± 0.5		2018/08/06				MATERIAL NUMBER		CUSTOMER							
0 PLACES		±						SEE TABLE		GENERAL MARKET							
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES									
						A3-SIZE		200241									

[illegible]