






注記 NOTES

1. 梱包数量 : 1000個/リール NUMBER OF CONNECTORS : 1000PCS/REEL
2. リードテープ長さ LEAD TAPE LENGTH


トップテープリーダー部
TOP TAPE LEADER PART

トップテープ未接着部
TOP TAPE NON-BONDED PART




3. トップテープの剥離強度についてはIEC60286-3に準拠。
TOP TAPE PEEL FORCE IS DEFINED BY IEC60286-3.
4. 材料 キャリアテープ：ポリプロピレン (PP)
トップテープ：PET, PE, PEF
リール：ポリスチレン (PS) <リサイクル材を含む>
- MATERIAL
CARRIER TAPE : POLYPROPYLENE
TOP TAPE : PET, PE, PEF
REEL : POLYSTYRENE (PS) <CONTAINED RECYCLE MATERIAL >
5. 本製品は53307-**91の鉛フリー品である。
THIS PRODUCT IS LEAD FREE OF 53307-**91.

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: REMOVED OBSOLETE PART NUMBER AS PER PCN#516685				molex			
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)				0.8 MM PITCH B-TO-B CONN. PLUG (WITHOUT BOSS) EMBOSS TAPE PACKAGE							
				ANGULAR TOL ± 30°		EC NO: 830087 DRWN: PONNAM 2025/07/25 CHK'D: GGA 2025/08/05 APPR: GGA 2025/08/05					
				4 PLACES ± 0.2							
				3 PLACES ± 0.25							
2 PLACES ± 0.3		PRODUCT CUSTOMER DRAWING									
1 PLACE ±											
0 PLACES ±											
INITIAL REVISION: DRWN: HSHIMABUKURO 2004/03/03 APPR: MSASAO 2004/03/05				DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION			
				SD-53307-014		PSD	001	B1			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES	MATERIAL NUMBER	CUSTOMER	SHEET NUMBER
						A3-SIZE		53307	SEE TABLE	GENERAL MARKET	1 OF 3




16	21.4	17.4	9.3	7.5	53307-1871	18							
			8.5	6.7	53307-1671	16							
			7.7	5.9	53307-1471	14							
			6.9	5.1	53307-1271	12							
			6.1	4.3	53307-1071	10							
キャリアテープ幅 CARRIER TAPE WIDTH			D	C	(B)	(A)	EMBOSSED TAPE PACKAGE	極数					
							ORDER NO	CIRCUITS					
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
DIMENSION UNITS		SCALE		CURRENT REV DESC: REMOVED OBSOLETE PART NUMBER AS PER PCN#516685									
mm		NTS											
GENERAL TOLERANCES (UNLESS SPECIFIED) ANGULAR TOL ± 30° 4 PLACES ± 0.2 3 PLACES ± 0.25 2 PLACES ± 0.3 1 PLACE ± 0 PLACES ± DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				EC NO: 830087 DRWN: PONNAM CHK'D: GGA APPR: GGA INITIAL REVISION: DRWN: HSHIMABUKURO APPR: MSASAO									
									molex 0.8 MM PITCH B-TO-B CONN. PLUG (WITHOUT BOSS) EMOSS TAPE PACKAGE PRODUCT CUSTOMER DRAWING DOCUMENT NUMBER SD-53307-014 DOC TYPE PSD DOC PART 001 REVISION B1 MATERIAL NUMBER SEE TABLE CUSTOMER GENERAL MARKET SHEET NUMBER 2 OF 3				


SECT. Y-Y



24mm幅キャリアテープ
24mm WIDTH CARRIER TAPE




SECT. Z-Z




32mm幅キャリアテープ

32mm WIDTH CARRIER TAPE





SECT. X-X
 (SCALE: 5-1)



SECT. W-W
 (SCALE: 5-1)




32	37.4	33.4	18.1	16.3	53307-4071	40
24	29.4	25.4	16.5	14.7	53307-3671	36
			14.1	12.3	53307-3071	30
			13.3	11.5	53307-2871	28
			12.5	10.7	53307-2671	26
			11.7	9.9	53307-2471	24
			10.9	9.1	53307-2271	22
			10.1	8.3	53307-2071	20
キャリアテープ幅 CARRIER TAPE WIDTH	D	C	(B)	(A)	EMBOSSSED TAPE PACKAGE	極数 CIRCUITS
					ORDER NO	

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: REMOVED OBSOLETE PART NUMBER AS PER PCN#516685				molex			
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)		ANGULAR TOL ± 0°		EC NO: 830087				0.8 MM PITCH B-TO-B CONN. PLUG (WITHOUT BOSS) EMBOSS TAPE PACKAGE			
		4 PLACES ± 0.2		DRWN: PONNAM 2025/07/25							
		3 PLACES ± 0.25		CHK'D: GGA 2025/08/05							
		2 PLACES ± 0.3		APPR: GGA 2025/08/05				PRODUCT CUSTOMER DRAWING			
		1 PLACE ±		INITIAL REVISION:				DOCUMENT NUMBER		DOC TYPE	DOC PART
0 PLACES ±				DRWN: HSHIMABUKURO 2004/03/03		SD-53307-014		PSD	001	B1	
				APPR: MSASAO 2004/03/05							
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER	SHEET NUMBER
				A3-SIZE		53307		SEE TABLE		GENERAL MARKET	3 OF 3



注記 NOTES

- 1 嵌合相手 : 52465シリーズ
MATE WITH : 52465 SERIES
- 2 ウェハの ㇿ から隣接するピンの ㇿ 迄の位置を示す。
SHOW POSITION FROM ㇿ OF WAFER TO ㇿ OF ADJACENT PINS.
- 3 本製品は 53307-**27 の鉛フリー品である。
THIS PRODUCT IS LEAD FREE OF 53307-**27.



0.4	17.8	16.9	15.2	53307-4071	40
0.4	16.2	15.3	13.6	53307-3671	36
0.8	13.8	12.9	11.2	53307-3071	30
0.4	13.0	12.1	10.4	53307-2871	28
0.8	12.2	11.3	9.6	53307-2671	26
0.4	11.4	10.5	8.8	53307-2471	24
0.8	10.6	9.7	8.0	53307-2271	22
0.4	9.8	8.9	7.2	53307-2071	20
0.8	9.0	8.1	6.4	53307-1871	18
0.4	8.2	7.3	5.6	53307-1671	16
0.8	7.4	6.5	4.8	53307-1471	14
0.4	6.6	5.7	4.0	53307-1271	12
0.8	5.8	4.9	3.2	53307-1071	10
D	C	B	A	EMBOSSED TAPE PACKAGE	極数
				ORDER NO	CIRCUITS

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS	SCALE
mm	NTS
GENERAL TOLERANCES (UNLESS SPECIFIED)	
ANGULAR TOL	± 30°
4 PLACES	± 0.2
3 PLACES	± 0.25
2 PLACES	± 0.3
1 PLACE	±
0 PLACES	±
GENERAL TOLERANCES (UNLESS SPECIFIED)	
10 ^{UNDER}	±0.2
10 ^{OVER} 30 ^{UNDER}	±0.25
30 ^{OVER}	±0.3
ANGULAR±3°	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	

CURRENT REV DESC: REMOVED OBSOLETE PART NUMBER AS PER PCN#516685

EC NO: 830087
DRWN: PONNAM
CHK'D: GGA
APPR: GGA

INITIAL REVISION:
DRWN: HSHIMABUKURO
APPR: MSASAO

THIRD ANGLE PROJECTION

DRAWING

SERIES

MATERIAL NUMBER

CUSTOMER

SHEET NUMBER

2025/07/25
2025/08/05
2025/08/05

2004/03/03
2004/03/05

A3-SIZE

53307

SEE TABLE

GENERAL MARKET

1 OF 2

molex

0.8 MM PITCH B-TO-B CONN. PLUG (WITHOUT BOSS)

PRODUCT CUSTOMER DRAWING

DOCUMENT NUMBER
SD-53307-015

DOC TYPE
PSD

DOC PART
001

REVISION
E1

