



HF

Halogen Free



NOTES:

1.MATERIAL:

- 1.1 HOUSING:LCP,UL94V-0,COLOR:BLACK.
- 1.2 CONTACT:PHOSPHOR BRONZE.
- 1.3 SOLDER PEG AND LATCH:STAINLESS STEEL.

2. FINISH:

- 2.1 CONTACT: 50u" MIN NICKEL UNDERPLATED ALL OVER.
GOLD FLASH PLATING ON SOLDER TAIL.
GOLD PLATING (THICKNESS SEE TABLE) ON CONTACT AREA.
- 2.2 SOLDER PEG:
50u" MIN NICKEL UNDERPLATED ALL OVER.
AU 2u" MAX ON SOLDER TAIL.

3. DATE CODE : FYYWDLX

- YY: YEAR (09: 2009)
- WW: WEEK (25: THE 25TH WEEK)
- D: DAY (1~7: SUNDAY~SATURDAY)
- L: LINE NUMBER OF ASSEMBLY (A: LINE A)
- X: D OR N (D: DAY; N: NIGHT)

4. PART NUMBER DESCRIPTION:



10141995-00X R LF

LF:LEAD FREE


R: TAPE & REEL PACKING

PLATING CODE:

- 1: GF
- 4: Au15u"
- 5: Au30u"



SECTION: A-A
SCALE 2:1






MATING/UNMATING VIEW

SCALE 2:1



- MATING: ①INSERTING(25°) → ②ROTATING → ③FIXED
- UNMATING: ④UNFIXED → ⑤ ROTATING → ⑥WITHDRAWING

mat'l. code				surface	tolerance	projection	product family		
-				-	ASME_Y14.5	MM	DDR		
ltr	ecn no	dr	date	tolerances unless otherwise specified			title		
				angles	.0±.0.30	MM	DDR4_SODIMM_260P		
				±2°	.00±.0.20		8.0H_STD_ASSEMBLY		
					.000±.0.10		scale N/A		
				dr	ZHENHUA_LIU	2016-12-02	dwg no		
				engr	ZHENHUA_LIU	2016-12-02	sheet 1 of 3		
				chr	STONE_LI	2016-12-02	10141995		
				appd	PM_ZHENG	2016-12-02	type		
sheet index	revision	A					CUSTOMER Drawing		

Halogen Free




DETAIL:C
SCALE 2:1







mat'l. code —					surface ✓ — ASME_Y14.5					projection 			product family DDR												
litr		ecn no		dr	date	tolerances unless otherwise specified										title									
						angles		linear	.0±0.30			MM ↔			DDR4_SODIMM_260P 8.0H_STD_ASSEMBLY										
									.00±0.20																
						±2°		linear	.000±0.10			scale N/A													
						dr		ZHENHUA_LIU			2016-12-02			Amphenol FCI		dwg no				sheet 2 of 3				size	
						engr		ZHENHUA_LIU			2016-12-02					10141995				A4					
						chr		STONE_LI			2016-12-02														
						appd		PM_ZHENG			2016-12-02														
sheet index		revision sheet		A																					

HF

Halogen Free



PULL OUT DIRECTION →



250	2	500
PCS/ REEL	REEL/ CARTON	PCS/ CARTON

mat'l. code	surface	tolerance	projection	product family
-	-	ASME_Y14.5	MM	DDR
ltr	ecn no	dr	date	title
				DDR4_SODIMM_260P
				8.0H_STD_ASSEMBLY
				dwg no
				10141995
				type
				CUSTOMER Drawing