






NOTES


1. DETAILE DIMENSIONS, SEE PRODUCT DRAWING.
2. NUMBER OF CONNECTORS : 8000PCS/REEL
3. LEAD TAPE LENGTH




4. TOP TAPE PEEL FORCE IS DEFINED BY IEC60286-3.
5. MATERIAL
CARRIER TAPE : POLYSTYRENE
TOP TAPE : PET , OTHER
REEL : POLYSTYRENE (PS) <RECYCLE MATERIAL CONTAINED>


MODEL NO. 504618-**12


THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
DIMENSION UNITS		SCALE		CURRENT REV DESC: REMOVED OBSOLETE PART NUMBERS AS PER PCN#513389				molex					
mm		1:5											
GENERAL TOLERANCES (UNLESS SPECIFIED) ANGULAR TOL ± ° 4 PLACES ± 3 PLACES ± 2 PLACES ± 1 PLACE ± 0 PLACES ± DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				EC NO: 781755 DRWN: MADHAM52024/03/18 CHK'D: GGA2024/04/10 APPR: GGA2024/04/10				0.35 BB CONN. H=0.6 SSB6 REC. ASSY EMBSTP PKG					
				INITIAL REVISION: DRWN: TNISHIDA022017/03/29 APPR: TKUSUHARA012017/04/03				DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION	
								5046180000		PSD	004	A1	
				THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
						A3-SIZE	504618	SEE CHART		GENERAL		1 OF 3	






THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS mm		SCALE 2:1		CURRENT REV DESC: REMOVED OBSOLETE PART NUMBERS AS PER PCN#513389			molex		
GENERAL TOLERANCES (UNLESS SPECIFIED) ANGULAR TOL ± ° 4 PLACES ± 3 PLACES ± 2 PLACES ± 1 PLACE ± 0 PLACES ± DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				EC NO: 781755 DRWN: MADHAM5 2024/03/18 CHK'D: GGA 2024/04/10 APPR: GGA 2024/04/10			0.35 BB CONN. H=0.6 SSB6 REC. ASSY EMBSTP PKG		
				INITIAL REVISION: DRWN: TNISHIDA02 2017/03/29 APPR: TKUSUHARA01 2017/04/03			PRODUCT CUSTOMER DRAWING		
				THIRD ANGLE PROJECTION			DRAWING A3-SIZE		
SHEET NUMBER 3 OF 3		SERIES 504618		DOCUMENT NUMBER 5046180000		DOC TYPE PSD		DOC PART 004	
MATERIAL NUMBER SEE CHART		CUSTOMER GENERAL		REVISION A1					






RECOMMENDED P.W.BOARD PATTERN LAYOUT(REFERENCE)



MATED CONDITION



RECOMMENDED METAL MASK LAYOUT(REFERENCE)

RECOMMENDED THICKNESS OF METAL MASK : t=0.08mm
RECOMMENDED OPEN APERTURE RATIO OF METAL MASK : 80%

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
RELEASED	EC NO: 115186 DRWN: TNISHIDA02 CHK'D: KTANAKA03 REV APPR: TKUSUHARA01	2017/03/29 2017/03/31 2017/04/03	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS	SCALE	molex®				
			ANGULAR TOL ± 1.0 °		MM	20:1					
			4 PLACES	± 0.2	DRWN BY	DATE					
			3 PLACES	± 0.2	CHK'D BY	DATE					
			2 PLACES	± 0.2	KTANAKA03	2017/03/31					
			1 PLACE	± 0.2	APPR BY	DATE					
			0 PLACES	± 0.2	TKUSUHARA01	2017/04/03	PRODUCT CUSTOMER DRAWING				
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRAWING SIZE	THIRD ANGLE PROJECTION	SERIES	MATERIAL NUMBER	CUSTOMER		
					A3		504618	SEE CHART	GENERAL		
								DOCUMENT NUMBER	DOC TYPE	DOC PART	SHEET NUMBER
								5046181000	PSD	003	2 OF 2